


DIABETES MANAGEMENT SYSTEM

Shortcut & Reference Manual

Western Tribal Diabetes Project

2020



Northwest Portland Area Indian Health Board

Toll Free: 800-862-5497

www.npaihb.org

Western Tribal Diabetes Project

2121 SW Broadway, Suite 300

Portland, OR 97201

Telephone: 503-228-4185

Toll Free: 800-862-5497

Fax: 503-228-4801



www.npaihb.org

Kerri Lopez, Director

klopez@npaihb.org

Don Head, Specialist

dhead@npaihb.org

Erik Kakuska, Specialist

ekakuska@npaihb.org

Table of Contents

SECTION 1: DMS SHORTCUTS

Entering Patients into the Register	3
Deleting a Patient from the Register	4
Patient Management: Register Data.....	5
Patient Management Screen: Diagnosis.....	6
Patient Management Screen: Diabetes Patient Care Summary	7
Patient Management Screen: Individual Audit (Option 1).....	8
Individual Diabetes Audit (Option 2)	9
Cumulative Diabetes Audit	12
Master List.....	18
Follow-Up Reports	20
Creating a Follow-Up Letter.....	22
Writing a Follow-Up Letter	23
Generating Follow-Up Letters	24
Register Patient General Retrieval (GEN)	26
Sample GEN Reports	28

SECTION 2: SUPPORTING INFORMATION

Diabetes Capacity Pyramid	32
RPMS Hints.....	34
Defining Register Patient Status	35
Finding New Patients with Diabetes	36
Patients with No Diabetes on the Problem List.....	38
Patients with No Date of Onset.....	39
Submitting the Electronic IHS Audit	40
Existing Registers on Your System	42
Finding & Changing the Register Creator.....	42
Adding Users to Your Diabetes Register	43
Creating a New Register	43
Diabetes and Pre-Diabetes Register Fields.....	45
Allocating Security Keys for DMS	46
Check Taxonomies.....	47
LMR–List Labs/Medications and Their Taxonomies	48
Sample Bad Taxonomies & How to Fix Them	49
Missing Taxonomy Item(s)	50
IHS Diabetes Audit Medications.....	51
Lab Taxonomies	52
Common RPMS Data Entry Codes for Diabetes	54
ICD-9 Codes for DMS and QMAN Searches.....	55
ICD-10 Codes for DMS and QMAN Searches	56

SECTION 3: REFERENCE MATERIALS

IHS Standards of Care for Type 2 Diabetes (2011, excerpt)	58
2019 Diabetes Audit Logic Descriptions.....	61
Contact Information	75



Diabetes Management System

Section 1: DMS Shortcuts



Entering Patients into the Register

What: To add a patient to the diabetes register, the most common (and recommended) method is to enter patients one at a time through the Patient Management menu option. This allows you to verify that patients actually have diabetes before you enter them into the register.

You can also transfer a batch of patients using a Q-Man search template or a File-Manager file. However, when you transfer a group of patients, you risk adding miscoded patients who do not actually have diabetes.

Why: To track patient care in relation to the *IHS Standards of Care for Patients with Type 2 Diabetes*.

When: When patients are diagnosed or identified as having diabetes

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM**
2. Select Register Maintenance Option: **PM**
3. Which Register: (1-3): **Select the number corresponding to your register**
4. Select PATIENT NAME: **LAST NAME, FIRST NAME** (any patient name or health record number/chart number)
5. Add this client to the Register? NO// **YES**
6. At this point, you will be directed to the Patient Management screen

```
THIS SYSTEM CONTAINS CONFIDENTIAL PATIENT INFORMATION COVERED
BY THE PRIVACY ACT. UNAUTHORIZED USE OF THIS DATA IS ILLEGAL
*****
**          DIABETES MANAGEMENT SYSTEM          **
*****
                VERSION 2.0 (PATCH 13)
                CHEMAWA H CT
                MAIN MENU - NPAIHB DIABETES

Select PATIENT NAME:
BUTTER,PEANUT           M 02-01-1978 XXX-XX-5555   TRN 700055

    BUTTER,PEANUT is not on
    the NPAIHB DIABETES Register

Add this client to the Register? NO// Y
```

If the patient is not in the register, the system will prompt you to add this patient to the register.



Deleting a Patient from the Register

What: You may use the Delete Patient from the Register option to remove any patient who has not been diagnosed with diabetes. (For patients who are deceased or have moved out of the area, change register status under Patient Management #1 - Edit register data, p. 5.)

Note that this only removes the patient from the register. All demographic and visit information remains in the main clinic database (PCC).

Why: To delete miscoded patient(s) from your diabetes population.

When: As needed.

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM**
2. Select Register Maintenance Option: **DEL**
3. Which Register: (1-3): **Select the number corresponding to your register**
4. NAME OR CHART: **LAST NAME, FIRST NAME** (any patient name or health record number/chart number)
5. Are you certain you want to do this? No// **Y** (Yes)
6. Press RETURN to continue or '^' to exit. **<Enter>**

```
*****
NPAIHB DIABETES REGISTER
*****

PATIENT LOOKUP UTILITY

Select CLIENT

NAME OR CHART: NPAIHB DIABETES BUTTER, PEANUT
                M 08-07-1976 XXX-XX-5555   TRN 700055

***** WARNING *****

This procedure will delete ALL data for
PEANUT BUTTER from the
NPAIHB DIABETES register.
Are you certain you want to do this? No// Y (Yes)

Deletion of PEANUT BUTTER
from the NPAIHB DIABETES register...is now complete.
```

Patient information is not removed from the PCC repository, only from the diabetes register.



Patient Management: Register Data

What: Register data includes register status, case manager, and review dates. These are only seen by people who use the Diabetes Register. The Patient Management screen also shows items such as the patient's name, address, health record number, and date of birth, which come from the PCC database and can only be changed by data entry or registration staff.

Why: Register data should help you manage your register by allowing you to group patients for reports (examples: running the cumulative audit on only active patients, generating patient panels for case managers) and viewing contact information and comments.

When: When patients are added to the register and updated as needed.

Edit register data

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM**
2. Select Register Maintenance Option: **PM**
3. Which Register: (1-3): **Select the number corresponding to your register**
4. Select PATIENT NAME: **LAST NAME, FIRST NAME** (any patient name or health record number/chart number)

Register Data Descriptions:

#1 Register Status – Active, Inactive, Unreviewed, Transient, Deceased, Non-IHS, and Lost to follow-up

#2 Where followed – Health center where the patient is receiving care

#3 Case manager – This person must be in your clinic database; enter as LAST,FIRST name; can be used to generate several different reports

#4 Client Contact – Enter free text (1-30 characters) for reference by your diabetes team

#6 Comments - This option will open the word processor, and will display comments on the patient's PM Screen. To exit the word processor, type F1 (function key) and then E

#7 Local Option Entry - This option will allow you to enter a code (which you will need to designate beforehand) to differentiate groups of patients. This is a holdover from the EpiInfo 6 application, and is not used much, if at all

The following Register Data items are updated automatically:

Entry date – Provided when the individual is first entered into the diabetes register

Last edited – The last date information for the Register Data was was edited

```
- Previous Screen  Q Quit  ?? for More Actions
1 Register Status      6 Comments          11 Health Summary
2 Where Followed      7 Local Option Entry 12 DM Care Summary (DPCS)
3 Case Manager        8 Last Visit        13 Print Letter
4 Client Contact      9 Review Appointments Q Quit
5 DX/Date of Onset   10 Audit Status
select Action: Quit//
```



Patient Management: Diagnosis

What: Type of diabetes and onset date are tracked here, similar to -- but not the same as -- the patient's problem list. You can also describe the severity in an optional field.

Why: The type and duration of diabetes have important ramifications for patient care, so it is important to make sure the onset date is included in the patient's record. The onset date is not necessarily the first visit for diabetes that the patient has at your clinic. The audit reports can find the type of diabetes and onset date from the patient's problem list, if it has been entered there, but those fields can only be updated by data entry staff at the request of a provider. This register field is convenient for diabetes program staff and can be used for reports.

When: The patient's diagnosis of diabetes and onset date should be updated when the patient is first entered onto the diabetes register.

#5 - Diagnosis

How: From the Diabetes Management System Main Menu:

1. Select the Diabetes Management System Option: **RM**
2. Select the Register Maintenance Option: **PM**
3. Which Register: (1-3): **Select the number corresponding to your register**
4. Select the PATIENT NAME: **LAST NAME, FIRST NAME** (any patient name or health record number)
5. Select Action: Quit// **5**
6. Select Action: Quit// **1** ADD Diagnosis
7. Which Diagnosis(s): (1-4): [**Choose diagnosis**]
8. Enter Date of Onset: [**Enter date of onset**]
9. Enter Severity: **N-Normal M-Mild S-Severe MO-Moderate** (optional)
10. Command: **S** to save
11. Command: **E** to exit

Register Diagnosis Feb 25, 2020 09:15:14 Page: 1 of 1
Make sure that the date of onset is also documented on the patient's problem list so other clinicians can see it. Problem list entries can be modified using EHR.

DIABETES RELATED PROBLEMS ON THE PROBLEM LIST			
PROB #	DX	PROVIDER NARRATIVE	DATE OF ONSET STATUS
WOR3	E11.9	Diabetes mellitus type 2 wi	CHRONIC

NO.	Diagnosis	ONSET DATE
---	-----	-----

- Previous Screen Q Quit ?? for More Actions

1 Add Diagnosis 2 Edit Diagnosis 3 Delete Diagnosis
Select Action:Quit// 1 Add Diagnosis

If a patient has a diagnosis of diabetes on their problem list, it will show up here.

The Audit Program will determine duration of diabetes from the earliest date recorded in the Register Diagnosis, the Problem List onset date, or the first PCC Diagnosis.



Patient Management: Diabetes Patient Care Summary

What: The diabetes patient care summary provides a complete review of the patient's care in relation to the *IHS Standards of Care for Patients with Type 2 Diabetes*. It includes the same data items as the audit report except medications.

Some clinics print the diabetes patient care summary at the end of the regular adult health summary.

Why: The diabetes patient care summary is an alternative to the individual audit. It gives dates of service, even if those dates are outside the one-year range of the audit date.

Since the diabetes patient care summary parallels the *IHS Standards of Care for Patients with Type 2 Diabetes*, we encourage you to generate this report before each patient visit for case management as well as for quality assurance.

When: (1) Prior to each patient visit, (2) prior to the annual diabetes audit

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM**
2. Select the Register Maintenance Option: **PM**
3. Which Register: (1-3): **Select the number corresponding to your register**
4. Select PATIENT NAME: **LAST NAME, FIRST NAME** (any patient name or health record number/chart number)
5. Select Action: QUIT// **12** (DM Care Summary (DPCS))
6. Select Action: +// **<Enter>** to scroll through, or **PL** and **<Enter>** to print DPCS to a printer

```
OUTPUT BROWSER                FEB 25, 2020 11:15:16                PAGE 1 OF 5
***** CONFIDENTIAL PATIENT INFORMATION [ST2] FEB 25, 2020 *****
DIABETES PATIENT CARE SUMMARY      Report Date: 02/25/2020

Patient: BUTTER,PEANUT              HRN: 12345
Age: 43 (DOB 08/07/1976)           Sex: FEMALE
CLASS/BEN: INDIAN/ALASKA NATIVE    Designated PCP: STRANGE,STEVEN

Date of DM Diagnosis: 09/15/2015 (NPAIHB DIABETES)
Diabetes type: (1 or 2): 2

BMI: 28.3  Last Height: 65.00 inches 12/25/2018
Last weight: 170 lbs 12/25/2018

Tobacco Use:
  Last Screened: 09/04/2018
  Current Status: Not a Current user NEVER SMOKED 09/04/2018
  Couseled in the past year? N/A

+ Enter ?? for more actions

+ NEXT SCREEN      - PREVIOUS SCREEN      Q  QUIT
Select Action: +//
```



Patient Management: Individual Audit (Option 1)

What: This generates the IHS diabetes audit on one patient, giving a review of the patient's care over one year in comparison to the *IHS Standards of Care for Patients with Type 2 Diabetes*.

To print individual audits for all active patients on the register, see the tip box in the Cumulative Audit instructions.

Why: We encourage you to generate this report before each patient visit for case management as well as quality assurance. It is intended to alert providers to diabetes standards of care for which the patient is deficient.

The individual diabetes audit may also be used to check the accuracy of data.

When: (1) Prior to each patient visit and (2) for checking data quality, for example prior to the annual diabetes audit.

#10 – Audit Status

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM**
2. Select the Register Maintenance Option: **PM**
3. Which Register: (1-3): **Select the number corresponding to your register**
4. Select PATIENT NAME: **LAST NAME, FIRST NAME**
(any patient name or HRN)
5. Select Action: Quit// **10** (Audit Status)
6. Enter the Audit Date: **T** (today) or (any specified date)
7. Do you wish to print the patient's name on the audit sheet? N// **<Enter>** or type **Y for yes**
8. Do you wish to: P// **P** (to print) or **B** (to browse)
9. DEVICE: HOME// **<Enter>** to view on screen or **PRINTER NAME** to print

The date you specify is the ending date of the audit...the audit will look back one year from the date you specify.

```
Register Data Feb 25, 2020 11:13:15 Page: 1 of 1
PATIENT: BUTTER, PEANUT AGE: 40
ADDRESS: PO BOX 0,WARM SPRINGS,OR,97761 DOB: 02/01/1978
PHONE: 5411234567 HRN: 700055
PRIM CARE PROV: STRANGE,STEVEN RES: WARM SPRINGS
STATUS: ACTIVE
WHERE FOLLOWED: CHEMAWA H CT
CASE MGR: COLE,ELVIS
CONTACT: MBRADY@AOL.COM
ENTRY DATE: DEC 4,2008 LAST EDITED:
DIAGNOSIS: TYPE 2 ONSET DATE: SEP 15,2015
COMMENTS:
COMMENTS SHOW UP HERE
LOCAL OPTION:
- Previous Screen Q Quit ?? for More Actions
1 Register Status 6 Comments 11 Health Summary
2 Where Followed 7 Local Option Entry 12 DM Care Summary (DPCS)
3 Case Manager 8 Last Visit 13 Print Letter
4 Client Contact 9 Review Appointments Q Quit
5 DX/Date of Onset 10 Audit Status
Select Action: Quit//
```



Individual Audit (Option 2)

What: The individual diabetes audit provides a complete review of the patient's care in comparison to the *IHS Standards of Care For Patients With Type 2 Diabetes*. You can use this option to print individual audits for more than one patient. You can choose whether or not to include the patient's name.

To print individual audits for all active patients on the register, see the tip box in the Cumulative Audit instructions.

Why: Since the individual diabetes audit parallels the *IHS Standards of Care For Patients With Type 2 Diabetes*, we encourage you to generate this report before each patient visit for case management as well as quality assurance.

When: (1) Prior to each patient visit and (2) prior to the annual diabetes audit

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **AR** Audit Reporting...
2. End of taxonomy check. HIT RETURN" **<Enter>**
3. Select Audit Reporting Option: **DM20**
4. Which Register: (1-3): **Select the number corresponding to your register**
5. Enter the Audit Date: **T** for today's date or enter any other date
6. Run the audit for: P// **P** Individual Patients
7. Select PATIENT NAME: **LAST NAME,FIRST NAME** (any patient name or health record number/chart number)
8. Select PATIENT NAME: **<Enter>** or type additional names
9. Enter Print option: 1// **<Enter>** Print Individual Reports
10. Do you wish to print the patient's name on the audit sheet? N// **<Enter>** or **Y** for Yes
11. Do you wish to: P// **<Enter>** to print or B and **<Enter>** to browse on screen
12. DEVICE: HOME// **<Enter>** to view on screen or **PRINTER NAME** to print

THIS SYSTEM CONTAINS CONFIDENTIAL PATIENT INFORMATION COVERED
BY THE PRIVACY ACT. UNAUTHORIZED USE OF THIS DATA IS ILLEGAL.

** DIABETES MANAGEMENT SYSTEM **

VERSION 2.0 (Patch 13)
CHEMAWA H CT
AUDIT REPORTING

DM20 2020 Diabetes Audit
DM19 2019 Diabetes Audit
DM18 2018 Diabetes Audit
DM17 2017 Diabetes Audit
DM16 2016 Diabetes Audit

Select Audit Reporting Option:



Sample Individual Diabetes Audit

IHS Diabetes Care and Outcomes Audit, 2020 DATE RUN: 02/25/2020 Page: 1

Audit Period Ending Date: 02/25/2020 Facility Name: CHEMAWA H CT
Reviewer initials: DH Community: SALEM
State of Residence: OR
Name: HYLBORN, MARVEL J Chart #: 9505 DOB: 07/17/1942 Sex: FEMALE
Primary Care Provider: SINGLETON, KORI

Date of Diabetes Diagnosis:
DM Register: 01/01/2009 Problem List: 07/18/1997
First PCC DX: 08/30/1996
DM Type: 2 Type 2
DM Register: TYPE 2 Problem List: E11.01
PCC POV's: Type 2

Tobacco/Nicotine Use
Screened for tobacco use (during Audit period): 1 Yes
Tobacco use status (most recent):
2 Not a Current user PREVIOUS (FORMER) SMOKER 02/05/2014
If 'Current user', tobacco cessation counseling/education received
(during Audit period):

Electronic Nicotine Delivery Systems (ENDS)
Screened for ENDS use (during Audit period):
1 Yes CURRENT E-CIGARETTE USER W/NICOTINE 09/25/2019
ENDS use status (most recent): 1 Current user

Vital Statistics

Height (last ever): 65.00 inches 09/25/2019
Weight (last in Audit period): 130 lbs 09/25/2019 BMI: 21.6

Hypertension (documented diagnosis ever): 1 Yes
Blood pressure (last 3 during Audit period): 120/70 mm Hg 09/25/2019
135/83 mm Hg 08/03/2019
145/95 mm Hg 06/15/2019

Examinations (during Audit period)
Foot (comprehensive or "complete", including evaluation of
sensation and vascular status): 1 Yes 09/25/2019 Diabetic Foot Exam
Eye (dilated or retinal imaging): 1 Yes 09/25/2019 Diabetic Eye Exam
Dental: 1 Yes 09/25/2019 Dental Exam

Mental Health

Depression an active problem/diagnosis: 1 Yes Problem List (296.30)
If 'No', screened for depression (during Audit period):

Education (during Audit period)

Nutrition: 2 Yes (Non RD) NRD: DM-N 09/25/2019
Physical activity: 2 No
Other diabetes: 2 No

Diabetes Therapy All prescribed (as of the end of the Audit period):

- 1 None of the following
- 2 Insulin
- X 3 Metformin [Glucophage, others]
- 4 Sulfonylurea [glipizide, glyburide, others]
- 5 DPP4 inhibitor [Alogliptin (Nesina), Linagliptin (Tradjenta), Saxagliptin (Onglyza), Sitagliptin (Januvia)]
- 6 GLP-1 agonist [Dulaglutide (Trulicity), Exenatide (Byetta, Bydureon), Liraglutide (Victoza), Lixisenatide (Adlyxin), Semaglutide (Ozempic)]
- 7 SGLT-2 inhibitor [Canagliflozin (Invokana), Dapagliflozin (Farxiga), Empagliflozin (Jardiance), Ertugliflozin (Steglatro)]
- 8 Pioglitazone [Actos] or rosiglitazone [Avandia]
- 9 Acarbose [Precose] or miglitol [Glyset]
- 10 Repaglinide [Prandin] or Nateglinide [Starlix]
- 11 Amylin analog [Symlin]
- 12 Bromocriptine [Cycloset]



Sample Individual Diabetes Audit

13 Colesevelam [welchol]

ACE Inhibitor or ARB

Prescribed (as of the end of the Audit period): 1 Yes

Commonly prescribed medications include:

ACE Inhibitors: Benazepril (Lotensin), Enalapril (Vasotec, Epaned),
Fosinopril (Monopril), Lisinopril (Prinivil, Zestril), Ramipril (Altace)
ARBs: Irbesartan (Avapro), Losartan (Cozaar), Telmisartan (Micardis),
Olmesartan (Benicar), Valsartan (Diovan, Prexxartan)

Aspirin or Other Antiplatelet/Anticoagulant Therapy

Prescribed (as of the end of the Audit period):

2 No

Commonly prescribed medications include:

Anticoagulants: Apixaban (Eliquis), Dabigatran (Pradaxa),
Rivaroxaban (Xarelto), warfarin (Coumadin)
Antiplatelets: Cilostazol (Pletal), Clopidogrel (Plavix),
Prasugrel (Effient), Ticagrelor (Brilinta)

Statin Therapy

Prescribed (as of the end of the Audit period): 2 No

Cardiovascular Disease (CVD)

Diagnosed (ever): 1 Yes - DX 06/14/2013 | 06/11/2013

Tuberculosis (TB)

TB test done (ever): 1 Skin test (PPD)

TB test result: 2 Negative 9/25/19 Reading: 0 Result:

If TB result 'Positive', treatment complete (isoniazid, others):

If TB result 'Negative', test date: 09/25/2019

Hepatitis C (HCV)

HCV diagnosed (ever): 2 No

If not diagnosed with HCV, screened for HCV at least once (ever): 2 No

Retinopathy

Diagnosed (ever): 2 No

Amputation

Lower extremity (ever), any type (e.g., toe, partial foot, above or below knee): 2 No

Immunizations

Influenza vaccine (during Audit period): 1 Yes 09/25/2019

Pneumococcal vaccine (ever): 1 Yes 09/25/2019

Td, Tdap, DTaP, or DT (in past 10 years): 1 Yes 09/25/2019

Tdap (ever): 1 Yes 09/25/2019

Hepatitis B complete series (ever): 2 No

Laboratory Data (most recent result during Audit period)

A1C:	8.9	09/25/2019	HEMOGLOBIN A1C
Total cholesterol:	157	09/25/2019	CHOLESTEROL
HDL cholesterol:	53	09/25/2019	HDL CHOLESTEROL
LDL cholesterol:	176	09/25/2019	LDL CHOLESTEROL
Triglycerides:	256	09/25/2019	TRIGLYCERIDES
Serum Creatinine:	1.1	09/25/2019	CREATININE
eGFR:	<60	09/25/2019	EST. GFR

Quantitative Urine

Albumin: Creatinine

Ratio (UACR) value: 36 09/25/2019 MALB/CREAT

COMBINED: Meets ALL: A1C <8.0, statin prescribed, mean BP <140/<90

2 No A1C: 8.9; statin prescribed: No; Mean BP: 120/70



Cumulative Diabetes Audit

What: The cumulative diabetes audit summarizes care and outcomes for a group of patients you specify (usually active patients on the register). It shows all items from the *IHS Standards of Care For Patients With Type 2 Diabetes*.

Why: You can use the cumulative diabetes audit to set goals and monitor progress in meeting the IHS standards of care (or documenting the care that is provided). It is also required annually as part of the Special Diabetes Program for Indians (SDPI).

When: Monthly – quarterly – annually for the IHS Diabetes Audit

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **AR** Audit Reporting...
2. Select Audit Reporting Option: **DM20**
3. Checking for Taxonomies to support the 2019 Audit: HIT RETURN: **<ENTER>**
(Note: You will likely see empty taxonomy errors for taxonomies related to labs and medications not used at your facility. These are OK.)
4. Which REGISTER: (1-3): **Select the number corresponding to your register**
5. Enter the Audit Date: **T** for today or exact date, e.g. 123119 for calendar year 2019
6. Run the audit for: P// **C** Members of a CMS Register
7. Do you want to select register patients with a particular status? Y// **YES**
8. Which status: A// **<Enter>** for Active, or type other status
9. Limit the audit to a particular primary care provider? N// **<Enter>** for no
10. Limit the patients who live in a particular community? N// **<Enter>** for no
11. Select Beneficiary Population to include in the audit: 1// **<Enter>**
12. Select whether to include or exclude pregnant patients in the audit: E// **<Enter>**
13. Do you want to select: A// **<Enter>** for ALL Patients selected so far
14. Enter Print option: 1// **3** Audit Report
15. Demo Patient Inclusion/Exclusion: E// **<Enter>**
16. Do you wish to: P// **<Enter>** to print, or **B** and **<Enter>** to browse
17. DEVICE: HOME// **<Enter>** to view on screen or **PRINTER NAME**, such as **SLAVE** or **S-O**, to print

Tip: Choose **1** or **4** to print **individual** sheets for all active patients

```
DM20  2020 Diabetes Audit
DM19  2019 Diabetes Audit
DM18  2018 Diabetes Audit
DM17  2017 Diabetes Audit
DM16  2016 Diabetes Audit
```

Select Audit Reporting option:



Sample Cumulative Diabetes Audit

IHS Diabetes Care and Outcomes Audit - RPMS Audit
 Audit Report for 2020 (Audit Period 01/01/2018 to 12/31/2018)
 Facility: PORTLAND AREA SDPI GRANTEES
 Annual Audit
 7419 patients were audited

	# of Patients (Numerator)	# Considered (Denominator)	Percent
Gender			
Male	3422	7419	28%
Female	3997	7419	72%
Age			
<20 years	26	7419	0%
20-44 years	1193	7419	16%
45-64 years	3708	7419	50%
>=65 years	2492	7419	34%
Diabetes Type			
Type 1	121	7419	2%
Type 2	7294	7419	98%
Duration of Diabetes			
<1 year	284	7419	4%
<10 years	3558	7419	48%
>=10 years	3131	7419	42%
Diagnosis date not recorded	730	7419	10%
Body Mass Index (BMI) Category			
Normal (BMI<25.0)	475	7419	6%
Overweight (BMI 25.0-29.9)	1339	7419	18%
Obese (BMI >=30.0)	5440	7419	73%
Height or weight missing	165	7419	2%

Severely obese (BMI >=40.0)	1830	7419	25%
Blood Sugar Control			
A1C <7.0	2643	7419	36%
A1C 7.0-7.9	1412	7419	19%
A1C 8.0-8.9	943	7419	13%
A1C 9.0-9.9	682	7419	9%
A1C 10.0-10.9	517	7419	7%
A1C >=11.0	750	7419	10%
Not tested or no valid result	428	57	6%

A1C <8.0	4073	57	55%
A1C >9.0	1906	57	26%
Blood Pressure (BP) - Based on one value or mean of two or three values			
<140/<90	5301	7419	71%
140/90 - <160/<100	1698	7419	23%
160/100 or higher	365	7419	5%
BP category undetermined	55	7419	1%

If age >=60 years, <150/<90	3052	3617	84%
Hypertension			
Diagnosed ever	5822	7419	78%
Diagnosed hypertension and mean BP <140/<90	3917	5822	67%



Sample Cumulative Diabetes Audit

Diagnosed hypertension and ACE inhibitor or ARB prescribed.	4439	5822	76%
Tobacco and Nicotine Use			
Tobacco use screening during Audit period:			
Screened	6407	7419	86%
Not screened	1011	7419	14%
Tobacco use status			
Current tobacco user	2431	7419	33%
In current users, cessation counseling/education received			
Yes	1427	2431	59%
No	1003	2431	41%
Not a current tobacco user	4918	7419	66%
Tobacco use not documented	70	7419	1%
Electronic nicotine delivery system (ENDS) use screening during Audit period			
Screened	1953	7419	26%
Not screened	5465	7419	74%
ENDS use status			
Current ENDS user	50	7419	1%
Not a current ENDS user	2047	7419	28%
ENDS use not documented	5321	7419	72%

Current user of both tobacco and ENDS	33	7419	0%
Current user of tobacco and/or ENDS	2448	7419	33%
Diabetes Treatment			
Number of diabetes meds currently prescribed			
None	1377	7419	19%
One medication	2818	7419	38%
Two medications	2153	7419	29%
Three medications	883	7419	12%
Four or more medications	180	7419	2%
Diabetes meds currently prescribed, alone or in combination			
Insulin	2643	7419	36%
Metformin [Glucophage, others]	4573	7419	62%
Sulfonylurea [glipizide, glyburide, others]	1722	7419	23%
DPP4 inhibitor [Alogliptin (Nesina), Linagliptin (Tradjenta), Saxagliptin (Onglyza), Sitagliptin (Januvia)]	468	7419	6%
GLP-1 agonist [Dulaglutide (Trulicity), Exenatide (Byetta, Bydureon), Liraglutide (Victoza), Semaglutide (Ozempic)]	354	7419	5%
SGLT-2 inhibitor [Canagliflozin, (Invokana), Dapagliflozin (Farxiga), Empagliflozin (Jardiance), Ertugliflozin (Steglatro)]	152	7419	2%
Pioglitazone [Actos] or rosiglitazone [Avandia]	506	7419	7%
Acarbose [Precose] or miglitol [Glyset]	13	7419	0%

Sample Cumulative Diabetes Audit

Repaglinide [Prandin] or Nateglinide [Starlix]	55	7419	1%
Amylin analog [Symlin]	17	7419	0%
Bromocriptine [Cycloset]	2	7419	0%
colesevelam [Welchol]	10	7419	0%
Statin Prescribed			
Yes*	4248	7206	59%
Allergy, intolerance, or contraindication	200	7419	3%
In patients with diagnosed CVD			
Yes*	1892	2602	73%
Allergy, intolerance, or contraindication	90	2694	3%
In patients age 40-75 years			
Yes*	3616	5802	62%
Allergy, intolerance, or contraindication	163	5975	3%
In patients with diagnosed CVD and/or age 40-75 years			
Yes*	3992	6346	63%
Allergy, intolerance, or contraindication	185	6541	3%
*Denominator excludes patients with an allergy, intolerance, or contraindication.			
Cardiovascular Disease (CVD)			
CVD diagnosed ever	2694	7419	36%
CVD and mean BP <140/<90	1879	2694	70%
CVD and not current tobacco user	1831	2694	68%
CVD and aspirin or other antiplatelet/anticoagulant therapy prescribed	1906	2694	71%
CVD and statin prescribed*	1892	2602	73%
*Denominator excludes patients with an allergy, intolerance, or contraindication.			
Retinopathy			
Diagnosed ever	1026	7419	14%
Lower Extremity Amputation			
Any type ever (e.g., toe, partial foot, above or below knee)	151	7419	2%
Exams			
Foot exam - comprehensive	3833	7419	52%
Eye exam - dilated or retinal imaging	3713	7419	50%
Dental exam	3238	7419	44%
Diabetes-Related Education			
Nutrition - by any provider (RD and/or other)	3558	7419	48%
Nutrition - by RD	1090	7419	15%
Physical activity	4324	7419	58%
Other diabetes education	4658	7419	63%

Any of above	5867	7419	79%
Immunizations			
Influenza vaccine during Audit period	4293	7419	58%



Sample Cumulative Diabetes Audit

Refused - Influenza vaccine	615	7419	8%
Pneumococcal vaccine - ever	5731	7419	77%
Refused - Pneumococcal	303	7419	4%
Td/Tdap/DTap/DT - past 10 years	6567	7419	89%
Refused - Td/Tdap/DTap/DT	142	7419	2%
Tdap - ever	6753	7419	91%
Refused - Tdap	92	7419	1%
Hepatitis B complete series - ever	3371	7419	46%
Refused - Hepatitis B	186	7419	3%
Immune - Hepatitis B	99	7419	1%

Depression

Active problem/diagnosis			
Yes	2436	7419	33%
No	4983	7419	67%
In patients without active depression, screened for depression during Audit period:			
Screened	3588	4983	72%
Not screened	1395	4983	28%

Lipid Evaluation - Note these results are presented as population level CVD risk markers and should not be considered treatment targets for individual patients.

LDL cholesterol	5654	7419	76%
LDL <100 mg/dl	3698	7419	50%
LDL 100-189 mg/dl	1903	7419	26%
LDL >=190	53	7419	1%
Not tested or no valid result	1765	7419	24%
HDL cholesterol	5744	7419	77%
In females			
HDL <50 mg/dl	1906	3997	48%
HDL >=50 mg/dl	1172	3997	29%
Not tested or no valid result	919	3997	23%
In males			
HDL <40 mg/dl	1357	3422	40%
HDL >=40 mg/dl	1309	3422	38%
Not tested or no valid result	756	3422	22%
Triglycerides [1]	4978	7419	67%
Trig <150 mg/dl	1954	7419	26%
Trig 150-499 mg/dl	2790	7419	38%
Trig 500-999 mg/dl	194	7419	3%
Trig >=1000 mg/dl	40	7419	1%
Not tested or no valid result	2441	7419	33%

Kidney Evaluation

eGFR to assess kidney function	6377	7401	86%
(In age >=18 years)			
eGFR >=60 ml/min	5152	7401	70%
eGFR 30-59 ml/min	1072	7401	14%
eGFR 15-29 ml/min	108	7401	1%
eGFR < 15 ml/min	45	7401	1%
eGFR Not tested or no valid result	1024	7401	14%
Urine Albumin:Creatinine Ratio (UACR)			
to assess kidney damage	3981	7419	54%
Urine albumin excretion - normal: <30 mg/g	2619	3981	66%
Urine albumin excretion increased:			
30-300 mg/g	1118	3981	28%



Sample Cumulative Diabetes Audit

>300 mg/g	244	3981	6%
Not tested or no valid result	3438	7419	46%
In patients age >=18 years, eGFR and UACR	3797	7401	51%
Chronic Kidney Disease (CKD) (In age >=18 years)			
CKD [2]	2246	7401	30%
CKD [2] and mean BP <140/<90	1507	2246	67%
CKD [2] and ACE Inhibitor or ARB prescribed	1664	2246	74%
CKD Stage			
Normal: eGFR >=60 ml/min and UACR <30 mg/g	2103	7401	28%
Stages 1 and 2: eGFR >=60 ml/min and UACR >=30 mg/g	986	7401	13%
Stage 3: eGFR 30-59 ml/min	1072	7401	14%
Stage 4: eGFR 15-29 ml/min	108	7401	1%
Stage 5: eGFR <15 ml/min	45	7401	1%
Undetermined	3087	7401	42%
Tuberculosis (TB) Status			
TB Test done ever (skin or blood)	3978	7419	54%
If test done, skin test	3279	3978	82%
If test done, blood test	699	3978	18%
If TB test done, positive result	485	3978	12%
If positive TB test, treatment completed	65	485	13%
If negative TB test, test done after diabetes diagnosis	1698	2968	57%
Hepatitis C (HCV)			
Diagnosed HCV ever	316	7419	4%
In patients not diagnosed with HCV and age >= 18 years, screened ever	3470	7096	49%
Combined Outcome Measure			
Patients age >= 40 years meeting ALL of the following criteria: A1C <8.0, Statin prescribed*, and mean BP <140/<90	1690	6492	26%
*Denominator excludes patients with a statin allergy, intolerance, or contraindication			
Diabetes Related Conditions (In age >=18 years)			
Severely obese (BMI >=40)	1825	7401	25%
Hypertension diagnosed ever	5818	7401	79%
Current tobacco user	2428	7401	33%
CVD diagnosed ever	2694	7401	36%
Retinopathy diagnosed ever	1026	7401	14%
Lower extremity amputation ever (any type (e.g., toe, partial foot, above or below knee)	151	7401	2%
Active Depression	2431	7401	33%
CKD stage 3-5	1225	7401	17%
Number of diabetes related conditions			
Diabetes only	419	7401	6%
Diabetes plus:			
One	1413	7401	19%
Two	2253	7401	30%
Three	1977	7401	27%
Four	995	7401	13%
Five or more	344	7401	5%



Master List

What: This report will list all patients on the Diabetes Register. You will be able to select which patients will be included on the list based on any of the following:

- Register Status
- Age
- Community of Residence
- Gender
- Case Manager
- Where Followed

You can also sort by a combination of these register items; for example, a common query is generating an alphabetical list of patients by status.

Why: We encourage you to generate the master list periodically and review the patient listing for status changes and/or case management purposes.

When: Monthly - Quarterly

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM** Register Maintenance...
2. Select Register Management Option: **RR** Register Reports ...
3. Select Register Reports Option: **ML**
4. Enter the Name of the Register: **IHS DIABETES**
5. Do you want to select register patients with a particular status? Y// **YES**
6. Select status: A// **ACTIVE**
7. Select another status: **<ENTER>**
8. Would you like to restrict the master list by Patient age range? NO// **<ENTER>**
9. Include Patients: A// **All Communities**
10. Include which Gender(s): A// **ALL Genders**
11. Do you want to select register patients with a particular CASE MANAGER? N// **NO**
12. Do you want to select patients with a particular facility WHERE FOLLOWED? N// **NO**
13. Select Primary Sort Value: **Patient Name**
14. Select Secondary Sort Value: **<ENTER>**
15. Output Type: P// **Print the List**
16. Demo Patient Inclusion/Exclusion: E// **Exclude DEMO Patients**

Note: These directions will give you Active patients on your register. You can tailor this report further by restricting age ranges, communities, gender, case manager, or where followed. The order of these criteria are above.

Sample Master List

***** CONFIDENTIAL PATIENT INFORMATION *****

ST2

Page 1

CHEMAWA H CT
DIABETES REGISTER MASTER LIST

Total number of patient selected for this report: 40

HRN	PATIENT	CASE MANAGER	LAST VISIT	LAST REVIEW	NEXT REVIEW
25634	ABUNE, LOUISE LAVERNE		12/17/18		
18623	ADGMUN, KAREN M		06/17/11		
32951	AEGLA STEFF, ANGELA T		01/16/96		
8876	BAGEI, DARELYNE L		05/07/14		
23840	BAGEI, YOLANDA		11/05/13		
400030	BLACKSLEEVE, EPATIENT		03/15/16		
43167	BUOCHERD, CARMINE J		05/18/06		
46515	BYRD, ANDREA L		01/06/14		
10434	CHEVAZ, NANCY		05/01/14	03/22/17	12/22/16
44579	CHOKWO, KELLIE E		11/07/13		
6566	CLERK, JAMES S		04/21/14		
23801	CLUSSUN, LINDA J	HEAD, DON	10/15/13	12/08/16	06/08/17
14769	FARGOSUN, GINA LOUANN		01/24/14	05/25/17	06/09/17
25991	FYNNNSUN, LORAIN Y		05/05/14		
49077	GELEKTYENUFF, LODYNNE		02/27/18		
400026	GREENSLEEVE, APATIENT		02/01/16		
19443	HACUCTE, CHARLES D	CYNKUTIS-SIMON,	04/21/14		
12706	HANSUN, HENRY A		06/25/13		
28220	HOGGYS, HERBERT J		07/27/06		
22447	HUOSAR, LANA E		05/05/14		
9505	HYLBORN, MARVEL J		04/25/14		
19818	JECKSUN, ROBIN L		05/07/14		
8410	JOCOTEN, CHRISTOPHER		05/07/14		
9734	JUHN, PARK H III	ASHRAT, M	01/03/14	06/06/18	06/06/19
43400	LUFSTRUM, ERIC S		02/28/12		
13363	MECKEREVYTZ, EVERETT	HEAD, DON	06/14/12	03/14/17	05/16/17
36514	PATHTAL, GUILLERMO JR		06/23/06		
39404	PUWALL, KATHY J		06/27/03		
5372	PYNNACUUSA, RUBENA G	CHANG, KUO	02/28/13		
8108	REMUS, LYLE		04/18/14		
7522	ROSSALL, MELANIE J		04/17/14		
45705	SLAAPYNGBAER, ALISA D		06/12/08		
47000	SMITHA, WENDY A		02/02/15	09/15/17	09/15/17
14870	SMYTH, SHAWNA LOUISE		04/21/14		
31778	U'NAYLL, LAURA NOREEN		02/15/13		
400032	WHITEHORSE, GPATIENT		08/23/16		
400027	WHITESLEEVE, BPATIENT		08/01/18		
43942	WULFBLECK, CAROLYN J		07/12/11		
50517	WYLSUN, LEROY MICHAEL		04/10/14		
400029	YELLOWSLEEVE, DPATIENT		08/16/16		



Follow-Up Reports

What: The follow-up report allows you to identify members of the register who are due for or have never had, exams, procedures, diabetes patient education, immunizations, vaccines, or lab tests as part of their diabetes care.

The follow-up report displays the patients, chart numbers, and date of last exam. Only those patients who have not had a specific exam in the last 11 months are displayed. The report is sorted alphabetically by patient name within each community. Each of the follow-up reports can be limited to patients within a specific community or followed by a specific primary provider.

Why: A quick way to identify patients who are due for care.

When: Quarterly, or as needed

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM** Register Maintenance...
2. Select Register Maintenance Option: **RR** Register Reports...
3. Select Register Reports Option: **FU** Follow-up Needed
4. Which Register: (1-3): **Select the number corresponding to your register**
5. Which Report: **ALL**
6. Which Group: Use Register Members// **<Enter>**
7. Which patients: Active// **<Enter>** for Active or type other status
8. Which Diagnosis: All Diagnoses// **<Enter>**
9. Include list of patient's upcoming appointments? NO// **<Enter>**
10. Which one: Community// **<Enter>**
11. Which Community: **<Enter>**
12. Which one: Follow-up Report// **<Enter>**
13. Demo Patient Inclusion/Exclusion: E// **<Enter>**
14. DEVICE: HOME// **<Enter>** to view on screen or **PRINTER NAME** to print

This looks for the diagnosis entered under Patient Management #5

DIABETES REGISTER - FOLLOW-UP NEEDED REPORTS
(Patients due now or within the next 30 days.)

1	ALL Exams/Procedures-----		
11	Foot Exam	12	Eye Exam
14	Depression Screening	18	Dental Exam
2	ALL Patient Education-----		
21	Nutrition	22	Exercise
23	General Info		
3	ALL Immunizations/Vaccines-----		
31	Seasonal Flu Shot	32	Pneumovax
33	Td/Tdap	34	TB Test
35	Hepatitis B		
4	ALL Lab Tests-----		
41	LDL Cholesterol	42	HDL Cholesterol
43	Cholesterol	44	Triglyceride
45	Creatinine	46	Hemoglobin A1c
47	Estimated GFR	48	A/C Ratio
49	Hepatitis C Screening		

Use the one-digit codes to find whole categories and two-digit codes for specific items.

Example: '3' returns all immunizations but '31' finds people due for flu shots.

Type 'ALL' to include ALL Follow-up Needed which Report:



Sample Follow-Up Reports

#1: Sorted by PROVIDER

NPAIHB DIABETES Register - Active Patients
 Follow-up Report: EYE EXAM
 (For Patients due now or within the next 30 days)
 REPORT DATE: FEB 25, 2020

Page: 1

PROVIDER	PATIENT	HRN	STATUS
APPLEGATE-MD, RO	BAGEI, LAVERNA CHAROLETTE	23840	last EYE EXAM MAY 21, 2001
APPLEGATE-MD, RO	BIARS-SCHRUADAR, MARTINA L	35448	last EYE EXAM OCT 21, 2008
APPLEGATE-MD, RO	BLECK, CONNIE L	29070	last EYE EXAM DEC 2, 2010
APPLEGATE-MD, RO	LUFSTRUM, IRVIN	43400	last EYE EXAM FEB 19, 2010
APPLEGATE-MD, RO	PEPPYN, TODD MYCHAL	35726	last EYE EXAM JAN 27, 2011
APPLEGATE-MD, RO	WHAALAR, ALVIE D	11083	last EYE EXAM FEB 22, 1993
BISCHOFF, JASON	NYVELE, CHRYSOPHER RAY	41963	*NO* EYE EXAM on record.
HANSON, AARON P	BALGERDA, WILLIAM C L	37859	last EYE EXAM SEP 29, 2010
HANSON, AARON P	BERFYALD, RITA K	22895	last EYE EXAM NOV 25, 2010
HANSON, AARON P	CUUNS, BILLY D	36358	last EYE EXAM JAN 27, 2011
HANSON, AARON P	DEWKYNS, DUSTIN B	40950	last EYE EXAM AUG 29, 2010
HANSON, AARON P	HUFMENN, TED	41915	last EYE EXAM DEC 12, 2010
HANSON, AARON P	KULB, COLINDA R	45446	*NO* EYE EXAM on record.
HANSON, AARON P	LYTFYN, DEBRA	30775	last EYE EXAM NOV 17, 2010
HANSON, AARON P	SOLLI, GEORGE L	26904	last EYE EXAM MAY 16, 2005
HANSON, AARON P	THUMES, VIRGINIA RAE	29944	last EYE EXAM JAN 28, 2011
NOT LISTED	BLECKBAER, LISA LENORE	28605	last EYE EXAM NOV 4, 2010
NOT LISTED	HELSTAED, RACHAEL CASSANDR	8734	last EYE EXAM SEP 30, 2010
NOT LISTED	SMUOSA, LENA MARIE	22521	*NO* EYE EXAM on record.
NOT LISTED	SMYTH, MARK CARROLL	42959	last EYE EXAM JAN 14, 2010

#2: Sorted by COMMUNITY

NPAIHB DIABETES Register - Active Patients
 Follow-up Report: ALL Patient Education
 (For Patients due now or within the next 30 days)
 REPORT DATE: FEB 25, 2020

Page: 1

COMMUNITY	PATIENT	HRN	STATUS
BEAVERTON	BLECKBAER, LISA LENORE	28605	*NO* EXERCISE ED on record.
BEAVERTON	HOYSMEN, TAMARA F	40222	*NO* NUTRITION ED on record.
BEAVERTON	HOYSMEN, TAMARA F	40222	*NO* EXERCISE ED on record.
BEAVERTON	HUFMENN, TED	41915	*NO* NUTRITION ED on record.
BEAVERTON	HUFMENN, TED	41915	*NO* EXERCISE ED on record.
CANBY	FUOSA, TONYA L	44027	*NO* NUTRITION ED on record.
CANBY	FUOSA, TONYA L	44027	*NO* EXERCISE ED on record.
ESTACADA	CREYN, MARCUS L JR	22545	*NO* NUTRITION ED on record.
ESTACADA	CREYN, MARCUS L JR	22545	*NO* EXERCISE ED on record.
FOREST GROVE	SMYTH, KEVIN J	45328	*NO* NUTRITION ED on record.
FOREST GROVE	SMYTH, KEVIN J	45328	*NO* EXERCISE ED on record.
FOREST GROVE	SMYTH, KEVIN J	45328	*NO* EXERCISE ED on record.
GRESHAM	SKYNNAR, BONNIE	13165	*NO* NUTRITION ED on record.
GRESHAM	SKYNNAR, BONNIE	13165	*NO* EXERCISE ED on record.



Creating a Follow-Up Letter

What: You can create form letters that are stored on your system. Letter inserts for information such as name, address, and date are filled in when you print.

Form letters can be printed for individual patients through Patient Management, or for groups of patients with the same follow-up needs through Follow-Up Reports.

Why: This option simplifies case management by merging patient data in the RPMS system into a letter of your choice.

When: As needed. Letters can be created, saved, and modified as you wish.

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM** Register Maintenance...
2. Select Register Maintenance Option: **LM** Letter Management...
3. Select Letter Management Option: **LAE** ADD/EDIT DMS Letters
4. Which Register: (1-3): **Select the number corresponding to your register**
5. Select Action: Quit// **2** ADD Letter
6. NAME OF LETTER: **FOOT EXAM** (this is an example name)
7. Are you adding 'FOOT EXAM' as a new DMS LETTER (the 29TH)? No// **Y**
8. LETTER:
No existing text
Edit? NO// **Y**
6. Type your letter using the INSERTS listed below. To use the inserts, enter the number surrounded by the "|" character. ([SHIFT+|], below the backspace key). For example, |3| will insert the patient's address in each letter.
You can also enter the name of the field, ex: |FIRST NAME|.
Tip: It may be easier to write your letter in another program (such as Microsoft Word) and copy and paste it into this window.
7. To save and exit, hit the **F1** key let go, and type **E**. (If that doesn't work, try either **Num Lock and then E**, **CTRL than E**, or the **End** key.)

TIP: You can use this function to create a quick list of the care a patient is due for. Create a letter that contains the following:

|LAST NAME|, |FIRST NAME|
|CHART|
|PROVIDER NAME|
|FOLLOW UP|

Before an appointment, check this in Patient Management, "Print Letter." Example:

```
BUTTER, PEANUT
12345
APPLEGATE, ROGER
FOOT EXAM          last FOOT EXAM JUN 7,2014
EYE EXAM           last EYE EXAM FEB 28,2014
PAP SMEAR          last PAP SMEAR JUN 7,2014
```



Writing a Follow-Up Letter

```
==[ WRAP ]==[ INSERT ]===== [ LETTER ]===== [ <PF1>H=HELP ]=====
```

```
|8|
```

```
|1| |2|
|3|
```

```
DEAR |1| |2|,
```

```
Our records show that you are due for a dental exam.
```

```
|12|
```

```
Please call the clinic at (555) 555-5555 to make your appointment.
```

```
Thank you,
```

```
Rachel Smith
Diabetes Coordinator
```

```
<=====T=====T=====T=====T=====T=====T=====T=====T=====T=====>
```

Letter Inserts

NO. INSERT

--- -----

1	FIRST NAME	14	PNEUMO EDUCATION
2	LAST NAME	15	TETANUS EDUCATION
3	ADDRESS	16	TB TEST EDUCATION
4	PRIMARY CARE PROVIDER	17	A1C HEMOGLOBIN EDUCATION
5	REGISTER PROVIDER	18	CREATININE EDUCATION
6	FOLLOW UP	19	URINE PROTEIN TEST EDUCATION
7	CHART	20	LIPID PANEL EDUCATION
8	DATE	21	FOLLOW UP WITH EDUCATION
9	EDUCATE	22	NUTRITION EDUCATION
10	FOOT EXAM EDUCATION	23	PHYSICAL ACTIVITY EDUCATION
11	EYE EXAM EDUCATION	24	A/C RATIO EDUCATION
12	DENTAL EXAM EDUCATION	25	CENTER
13	FLU SHOT EDUCATION	26	HEP B EDUCATION
		27	FOLLOW UP W/EDUC (W/O DEP, EDUC)
		28	EGFR
		29	EKG
		30	eGFR

The list of inserts is updated periodically. To see all the inserts in RPMS, choose number 4 in step 5 above.



Generating Follow-Up Letters

What: You can print a batch of letters to patients who are due for follow-up using one of the form letters created by you or someone else on your diabetes team. You can also request a follow-up report at the same time, which creates a convenient record of who the letters were printed for.

****To print one letter for a specific patient, use Patient Management option #13.**

Why: The follow-up letter can be a convenient tool to contact patients for needed care. It ensures that the *IHS Standards of Care For Patients With Type 2 Diabetes* is being addressed by your clinic.

When: Monthly, as needed.

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM** Register Maintenance...
2. Select the Register Maintenance Option: **RR** Register Reports...
3. Select Register Reports Option: **FU** Follow-up Needed
4. Which Register: (1-3): **Select the number corresponding to your register**
5. Which Report: **ALL**
6. Which Group: Use Register Members// **<Enter>**
7. Which patients: Active// **<Enter>**
8. Which Diagnosis: All Diagnoses// **<Enter>**
9. Include list of patient's upcoming appointments? NO// **<Enter>**
10. Which one: Community// **<Enter>**
11. Which Community: **<Enter >**
12. Which one: Follow-up Report// **2** (Follow-up letter)
13. Select Letter No.: **Enter letter #** from list of created letters
14. DEVICE: HOME// **<Enter>** to view on screen or **PRINTER NAME** to print

```
DIABETES REGISTER - FOLLOW-UP NEEDED REPORTS
(Patients due now or within the next 30 days.)

1      ALL Exams/Procedures-----
 11    Foot Exam                    12    Eye Exam
 14    Depression Screening         18    Dental Exam
2      ALL Patient Education-----
 21    Nutrition                    22    Exercise
 23    General Info
3      ALL Immunizations/Vaccines-----
 31    Seasonal Flu Shot            32    Pneumovax
 33    Td/Tdap                     34    TB Test
 35    Hepatitis B
4      ALL Lab Tests-----
 41    LDL Cholesterol             42    HDL Cholesterol
 43    Cholesterol                 44    Triglyceride
 45    Creatinine                 46    Hemoglobin A1c
 47    Estimated GFR              48    A/C Ratio
 49    Hepatitis C Screening
```

Type 'ALL' to include ALL Follow-up Needed
which Report:

The menu is the same for Follow-up Letters and Follow-up Reports. The differentiating step is step 12, choosing either letter, report, or both.



Sample Follow-Up Letter

February 25, 2020

FLORENCE ADANFYALD
2084 MCCOY NE
WS CAMPUS, OR 97305

DEAR FLORENCE ADANFYALD,

Our records show that you are due for a dental exam.

A yearly DENTAL EXAM is recommended to look for evidence of gum disease and other conditions that can both make diabetes harder to control and can lead to premature tooth loss.

Please call the clinic at (555) 555-5555 to make your appointment.

Thank you,

Rachel Smith
Diabetes Coordinator



Register Patient General Retrieval (GEN)

What: Use GEN to search for patients in your register and print custom reports. Reports can be either lists of patients or counts of patients.

First, GEN allows you to search (or select) patients in your diabetes register. For example, to find all inactive patients, you would search by register status.

Decide whether you want a listing with one line per patient, or just summary counts.

Next, you choose which information you want to print about the patients you found in step 1. For example, you may want to print each inactive patient's name, chart number, and last visit date.

Lastly, GEN allows you to sort (or group) the resulting list. For example, you may want to sort your list of patients by name (alphabetical list).

Why: This report can be a useful tool for case management, updating your register, and getting information about your diabetic population.

When: As needed.

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **RM** Register Maintenance ...
2. Select Register Maintenance Option: **RR** Register Reports ...
3. Select Register Reports Option: **GEN** Patient General Retrieval (Lister)
4. Which Register: (1-3): **Select the number corresponding to your register**
5. Do you want to use a previously defined report? N// **<Enter>**
6. Select Patients based on which of the above: (1-47): *Choose from the listed criteria to search your register patients. Choose as many as you wish. You will then be asked for more specifics on your chosen criteria. For example, if you chose Register Status, you will need to enter the status you are looking for.*
7. Would you like to select additional PATIENT criteria? NO// **<Enter>**
8. Choose Type of Report: D// **<Enter>**
9. Select print item(s): (1-56): *Choose which of the listed criteria you would like printed for each patient found.*
10. Enter Column width for Patient Name (suggested: 20): (2-80): 20// **<Enter>** (For each criteria you chose to print you will be asked to enter a column width. You are aiming for a total of 80 or less. Simply press enter to choose the default width.)
11. Would you like to select additional PRINT criteria? NO// **<Enter>**
12. Sort Patients by which of the above: (1-25): *Choose which of the listed criteria you would like to have the patients sorted by.*
13. Do you want a separate page for each Patient Name? N// **<Enter>**
14. Would you like a custom title for this report? N// **<Enter>** (You can choose Yes and type in your own title that will appear at the top of the report.)
15. Do you wish to save this SEARCH/PRINT/SORT logic for future use? N// **<Enter>**
16. DEVICE: HOME// **<Enter>** to view on screen or **PRINTER NAME** to print



The Patients displayed can be SEARCHED based on any of the following criteria:

- | | | |
|--------------------------|--------------------------|--------------------------|
| 1) Patient Name | 18) Priv Ins Eligibility | 35) Intervent Result DT |
| 2) Patient Sex | 19) Primary Care Provide | 36) Care Plan |
| 3) Patient DOB | 20) Register Status | 37) Care-Plan Comment |
| 4) Birth Month | 21) Initial Entry Date | 38) Complications |
| 5) Patient Age | 22) Inactivation Date | 39) Complication Onset D |
| 6) Patient DOD | 23) Case Priority | 40) Complication Comment |
| 7) Mlg Address-State | 24) Case Manager | 41) Diagnoses |
| 8) Mlg Address-Zip Code | 25) PHN | 42) Date of Onset |
| 9) Living Patients | 26) Last Review Date | 43) Recall Date |
| 10) Chart Facility | 27) Next Review Date | 44) Etiology |
| 11) Patient Community | 28) Where PT Followed | 45) Risk Factors |
| 12) Patient Tribe | 29) Date Last Edited | 46) Medications |
| 13) Eligibility Status | 30) Case Comments | 47) Services |
| 14) Class/Beneficiary | 31) Register Provider | 48) Diagnostic Criteria |
| 15) Cause of Death | 32) Case History | |
| 16) Medicare Eligibility | 33) Interventions | |
| 17) Medicaid Eligibility | 34) Intervention Due DT | |

<Enter a list or a range. E.g. 1-4,5,20 or 10,12,20,30>
 <<HIT RETURN to conclude selections or bypass screens>>

Select Patients based on which of the above: (1-48):

(The criteria shown in gray will not work for most sites.)

- T Total Count Only
- S Sub-counts and Total Count
- D Detailed Patient Listing
- F Delimited Export File

Choose Type of Report: D//

PRINT Data Items Menu

- | | | |
|--------------------------|--------------------------|--------------------------|
| 1) Patient Name | 21) Medicaid Eligibility | 41) Intervention Results |
| 2) Patient Chart # | 22) Priv Ins Eligibility | 42) Intervent Result DT |
| 3) Patient Sex | 23) Patient's Last Visit | 43) Intervent Plan Categ |
| 4) Patient SSN | 24) Primary Care Provide | 44) Care Plan |
| 5) Patient DOB | 25) Register Status | 45) Care-Plan Comment |
| 6) Birth Month | 26) Initial Entry Date | 46) Complications |
| 7) Patient Age | 27) Inactivation Date | 47) Complication Onset D |
| 8) Patient DOD | 28) Case Priority | 48) Complication Comment |
| 9) Mlg Address-Street | 29) Case Manager | 49) Diagnoses |
| 10) Mlg Address-State | 30) PHN | 50) Date of Onset |
| 11) Mlg Address-City | 31) Last Review Date | 51) Recall Date |
| 12) Mlg Address-Zip Code | 32) Next Review Date | 52) Etiology |
| 13) Home Phone | 33) Where PT Followed | 53) Family Members |
| 14) Mother's Name | 34) Date Last Edited | 54) Risk Factors |
| 15) Patient Community | 35) Case Comments | 55) Medications |
| 16) Patient Tribe | 36) Client Contact | 56) Services |
| 17) Eligibility Status | 37) Register Provider | 57) Diagnostic Criteria |
| 18) Class/Beneficiary | 38) Case History | |
| 19) Cause of Death | 39) Interventions | |
| 20) Medicare Eligibility | 40) Intervention Due DT | |

<Enter a list or a range. E.g. 1-4,5,18 or 10,12,18,30>
 <<HIT RETURN to conclude selections or '^' to exit>>

Select print item(s): (1-57):



GEN Reports

The Patients displayed can be SORTED by any one of the following:

- | | |
|--------------------------------|--------------------------|
| 1) Patient Name | 15) Next Review Date |
| 2) Patient Age | 16) Date Last Edited |
| 3) Patient Community | 17) Case Priority |
| 4) Patient Sex | 18) Case Manager |
| 5) Patient Tribe | 19) PHN |
| 6) Patient Chart # | 20) Where PT Followed |
| 7) Primary Care Provider (PCC) | 21) Register Provider |
| 8) Classification/Beneficiary | 22) Inactivation Date |
| 9) Eligibility Status | 23) Initial Entry Date |
| 10) Cause of Death | 24) Mlg Address-Zip Code |
| 11) Patient DOB | 25) Mlg Address-State |
| 12) Patient DOD | 26) Birth Month |
| 13) Register Status | |
| 14) Last Review Date | |

<<If you don't select a sort criteria the report will be sorted by Patient Name.>>

Sort Patients by which of the above: (1-26):

Sample GEN Reports

GEN Report for complications

The following report will print out a patient's name, health record number, case manager, and complications, if any. This report is used to determine which patients have complications, and which complications they have. Patients with multiple complications will have them listed on succeeding lines.

Using the directions on page 26, to print out a detailed patient summary, use the following items to:

SEARCH

- 9) LIVING PATIENTS
- 38) COMPLICATIONS to specify one or more complications (optional)

Choose Type of Report: D// <Enter>

PRINT

- 1) PATIENT NAME,
- 2) PATIENT CHART #
- 46) COMPLICATIONS
- 47) COMPLICATIONS DATE OF ONSET

SORT

- 1) PATIENT NAME

CASE MANAGEMENT PATIENT LISTING				Page 1
NPAIHB1 DIABETES REGISTER				
PATIENT NAME	HRN	COMPLICATION	COMPL ONSET DT	
ADLER, STEVEN	WOR-400000	END STAGE RENAL	02/06/99	
AEGLA, JACQUELINE MAR	WOR-46027	--	--	
BACK, STELLA J	WOR-16518	--	--	
BAGEI, GLENN L	WOR-632	KLR DIABETIC SH	10/31/11	
BAGEI, TYRONE A	WOR-24432	HYPERTENSION	06/15/10	
		DEPRESSION	12/07/11	
BEKAR, AMANDA C	WOR-45748	HIGH RISK FOOT	12/06/11	
		DRH DEPRESSION	--	
BEKAR, SHARLA M	WOR-39763	HIGH RISK FOOT	11/06/11	
BERFYALD, CARSON W	WOR-22869	--	--	
Total Patients 108				



Sample GEN Reports (continued)

GEN Report for patient status update

The following report will print out a patient's name, health record number, status, and the last time that they had visited the clinic. This report is used to determine whether your Inactive or Active patients' status is correct.

Using the directions on page 26, to print out a detailed patient summary, use the following items to:

SEARCH

20) REGISTER STATUS, specify ACTIVE, INACTIVE, TRANSIENT

Choose Type of Report: D// <Enter>

PRINT

- 1) PATIENT NAME
- 2) PATIENT CHART #
- 25) REGISTER STATUS
- 23) PATIENT'S LAST VISIT

SORT

- 13) REGISTER STATUS

CASE MANAGEMENT PATIENT LISTING Page 1			
IHS DIABETES REGISTER			
PATIENT NAME	HRN	REGISTER STATUS	LAST VISIT
DONN, SHEILA J	TRN-40457	ACTIVE	APR 24, 2011
BRADY, MARSHA	TRN-660204	ACTIVE	JUL 15, 2011
HUFFMEN, DANIEL B	TRN-11949	ACTIVE	NOV 21, 2011
MOUSE, MICKEY	TRN-700227	INACTIVE	MAR 17, 2010
AWESOMEPOWER, DUDE OF	TRN-199422	INACTIVE	JAN 31, 2008
SMITH, HICKORY	TRN-400000	TRANSIENT	OCT 14, 2010
SMYTH, LEONARD L	TRN-31511	TRANSIENT	SEP 13, 2009

Total Patients 108

GEN Report to list patients with upcoming review dates and their case manager

This report will list patients with upcoming review dates, and the case manager, if any, that has been assigned to them. It will also list those patients without a case manager.

Using the directions on page 26, to print out a detailed patient summary, use the following items to:

SEARCH

- 27) NEXT REVIEW DATE: you will be prompted to enter a beginning date and an end date for the next review dates; enter a time frame that you want to search, like T-7 (last week) for beginning date, and T+7 (next week) for an end date.

Choose Type of Report: D// <Enter>

PRINT

- 1) PATIENT NAME
- 2) PATIENT CHART #
- 32) NEXT REVIEW
- 29) CASE MANAGER

SORT

- 18) CASE MANAGER

CASE MANAGEMENT PATIENT LISTING Page 1			
NP AIHB1 DIABETES REGISTER			
PATIENT NAME	HRN	NEXT REVIEW	CASE MANAGER
TENNAR, DWIGHT D	WOR-21431	DEC 06, 2011	ABEL, J
HALM, TRACY	WOR-21473	JUN 07, 2011	ABEL, J
FRYCKA, ARVINE J	WOR-23053	MAR 06, 2012	ABEL, J
GUNZELAZ, GREGORY B	WOR-16057	JUN 07, 2011	ACKERMAN, D
HEMPTUN, JACKIE L	WOR-44141	--	ACKERMAN, ROGER
MUURA, PAMELA JANE	WOR-41575	DEC 06, 2011	ADAMS, BOB
RUDRYGOAZ, CHRISTINE	WOR-33204	MAR 06, 2012	ALBERT, L

Total Patients 108



Sample GEN Reports (continued)

GEN Report to list Active patients by primary care provider with last visit

This GEN report will list the living patients on your register, and their Primary Care Provider (if one is assigned), and their last visit to the clinic.

Using the directions on page 26, to print out a detailed patient summary, use the following items to:

SEARCH

- 9) LIVING PATIENTS
- 20) REGISTER STATUS (ACTIVE)

Choose Type of Report: D//
<Enter>

PRINT

- 1) PATIENT NAME
- 2) PATIENT CHART #
- 24) PRIMARY CARE PROVIDER
- 23) PATIENT'S LAST VISIT

SORT

- 7) PRIMARY CARE PROVIDER

CASE MANAGEMENT PATIENT LISTING				Page 1
NPAlHB1 DIABETES REGISTER				
PATIENT NAME	HRN	PRIMARY PROVIDE	LAST VISIT	
KAERNS, PHYLLIS A G	WOR-30778	--	JAN 14, 2011	
MURYN, MARTIE D	WOR-31065	--	DEC 08, 2012	
NAWBRUOGH, CARMEN YVO	WOR-33071	HANSON, AARON P	APR 05, 2012	
COLLAN, RANDI MICHELL	WOR-33832	HANSON, AARON P	JAN 13, 2011	
FYNNYCOM, RONDA R	WOR-36126	HANSON, AARON P	JAN 11, 2011	
CUUNS, BILLY D	WOR-36358	HANSON, AARON P	DEC 08, 2011	
SHERAK, TONI L	WOR-40181	HANSON, AARON P	JAN 08, 2011	
Total Patients 100				

GEN Report to count active patients assigned to primary care provider

This report will list all the primary care providers, and the number of patients that are assigned to each. Instead of the Detailed Patient Summary, at the GEN Output Options screen choose Total Counts and Sub-counts.

SEARCH

- 9) LIVING PATIENTS
- 20) REGISTER STATUS (ACTIVE)

Choose Type of Report: D// S
(Sub-counts)

SORT

- 7) PRIMARY CARE PROVIDER

CASE MANAGEMENT PATIENT LISTING		Page 1
NPAlHB1 DIABETES REGISTER		
PATIENT SUB-TOTALS BY: Primary Care Provider (PCC)		

Primary Care Provider (PCC):		
--		13
ADAMS, KAREN		1
APPLEGATE-MD, ROGER H		34
BAILEY, WILLIAM		1
BISCHOFF, JASON M FNP		10
HANSON, AARON P DO		39
LEE, DONNIE MD		1
LEMMERS, MICHAEL J		1
Total Patients 100		



Section 2: Supporting Information



Diabetes Capacity Pyramid

What: A self-assessment tool to measure the ability and needs of tribal diabetes data tracking systems.

Why: To determine diabetes data system needs of each program and to assess progress at improving diabetes data systems.

How: The tribes will use the tool to self-assess their capacity level.

When: This tool will either be mailed to sites and followed up with a phone call or will be discussed during site visits.

The Western Tribal Diabetes Project (WTDP) Diabetes Data Capacity Pyramid is a tool to measure the ability and needs of tribal programs to track the care and health statistics of patients with diabetes. A complete, accurate, and comprehensive data system is key to ensuring the standards of care are met for each patient with diabetes. The data system is necessary to determine the true impact diabetes has on American Indians and Alaska Natives, can be used to strengthen the care of those with diabetes and ultimately move the community towards prevention.

The structure of the Pyramid was chosen to illustrate the need for a solid foundation and the step-by-step approach necessary for a stable, sustainable diabetes data system. Progress upward on the Pyramid is dependent on the strength of the levels below. It is likely that programs will gain and lose capacity over time. By using this tool to assess diabetes data capacity WTDP can best target technical assistance and resources to create successful public health systems. This is a tool developed for tracking diabetes data systems, but can be a model for other disease management and prevention activities.

Components of the Diabetes Data Capacity Pyramid


Data-Informed Prevention – ability to focus prevention efforts based on objective data

Data Utilization – ability to use data for case management, standards of care, etc.

Data Retrieval – ability to retrieve information from database

Data Entry – ability to enter comprehensive and quality data

Data Systems Capacity – foundation for a data system





Diabetes Data Capacity Pyramid



Western Tribal Diabetes Project

Site Name: _____
 Date of completion: _____
 Completed by:
 ___ Diabetes Team
 ___ Diabetes Coordinator
 ___ Executive Director
 ___ Other _____
 Location of Program _____

DATA-DRIVEN PREVENTION

- Monitor risk factors in populations to target screening and interventions
- Monitor HgbA1c to prevent complications
- Monitor patients with Impaired Glucose Tolerance
- Tribe uses data to shape own research
- Other _____

DATA UTILIZATION

- Use diabetes (DM) register to manage patient care
- Determine rates of diabetes and associated complications
- Use audit results for quality improvement
- Present data to clinic
- Present data to tribe
- Use DM data for grant writing and reporting
- Other _____

DATA RETRIEVAL

- Can generate Q-MAN searches
- Can generate letters for patients follow up
- Use Diabetes Register in Q-MAN searches
- Can generate reports using the Diabetes Management System (DMS)
- Can generate the cumulative audit in DMS
- Other _____


DATA ENTRY

- Perform timely Patient Care Component (PCC) data entry
- Maintain and update PCC Active Problem List
- Register is updated at least every six months
- Diabetes related care (immunizations, tobacco status, patient education, comprehensive foot exam, eye exam...) is documented in PCC
- Diabetes diagnosis, complications, and onset dates are documented in register
- Medications are documented in PCC
- Lab results are documented in PCC
- Diabetes Team has access to DMS
- Other _____

DATA SYSTEMS CAPACITY

- Have Tribal Health Board support
- Have administrative support
- Have clinical support
- Have RPMS Site Manager support
- Have computerized medical records (other than RPMS)
- Have RPMS with current packages
- Have a Diabetes Coordinator
- Have multidisciplinary diabetes team
- Diabetes team trained in DMS
- Staff trained in PCC data entry and ICD-9 Coding
- Tribal member trained in DMS
- Providers trained to document all diabetes-related care on PCC forms
- Tribal members know health data is being gathered on diabetes
- Have system to notify key staff of new diabetes patients
- Other _____

RPMS Hints



Enter
←


Enter key, alias
RETURN, <CR>, or just <>




For information, type ??
For less info, type ?
For more, type ???



Use the **Tab** key
to move from
field to field



^ to back up
(Shift + 6)



Use these
to move,
too.

Dates

7/15/03
071503
7-15-03
7 15 03
JUL 15 2003

Date Shortcuts

T = Today
T+10 = 10 days from now
T-365 = 1 year ago
T+40W = 40 weeks from today
T-3M = 3 months ago




PAPER MATE
Delete
101 MALAYSIA



deletes
the
contents
of a field

Hi! My name is ...
MOUSE,MINNIE
87612 (chart number/HRN)
5/15/1928
[SPACE] [ENTER] for the
last person you entered

==[WRAP]==[INSERT]=====[<PF1>H=Help]===

I'm typing in this screen, and now I'm done,
and I want to get out. Q for quit? No, not
that. ^ ^ ^ to escape? Hmm, that doesn't work.
Now what? Oh, yeah --

F1 then **E**

←=====T=====T=====T=====T=====T=====→



Defining Register Patient Status

Register Patient Status: Each patient in the register must have a register status. This allows you to group patients for reports (example: running the audit on only active patients). There is no standard definition for the different register statuses, but it is helpful if everyone in a clinic has clear guidelines to follow. Here are some examples.

Status	Example 1*	Example 2
Active	Patients who obtain primary care at your facility and have been seen for a diabetes medical visit within the past year. The Active list will be used for the annual IHS Diabetes Audit	Patients with at least 1 primary care visit in the past 12 months or patients who are not attending clinic, but you do not know if they have recently moved or found another source of care
Inactive	Patients not seen within the past 2 years or patients no longer utilizing any services of your facility, or who have moved away.	Patients who have moved away permanently or who you know to be receiving care elsewhere or who have not had a primary care visit in more than 2 years
Transient	Patients who are seen for primary diabetes care elsewhere, but visit your clinic periodically for some level of care, e.g., education, medications, dental, etc.	Not a local resident/resides outside of CHSDA
Deceased	self-explanatory	Patients you know to be deceased (does not require a death certificate on file)
Non-IHS	Non-Indian patients	Non-Indian patients
Unreviewed	Patients in your register who have not gone through medical record review. Add new patients to the Diabetes Register as "un-reviewed" until diagnosis of diabetes is substantiated.	Patients on dialysis <i>Note: The word "unreviewed" has no relationship to dialysis — it is just a category that was not being used. By designating a status for dialysis patients, you can streamline reporting for that group.</i>
Lost to follow-up	Temporary category where patients can be moved until appropriate status category is determined. These are patients seen at your facility that have not had a visit within the last year, but had a visit within the past two years. EX: "Active" register patient who has not had a visit at your facility in 13 months.	Unable to contact, defined as at least 3 tries in 12 months (should be documented in the patient's chart)
Noncompliant	<i>seldom used; not searchable in QMAN</i>	

*Example 1 definitions are taken from recommendations for California diabetes programs in 2005.



Finding New Patients with Diabetes

Saving the Register as a Template

How: From the Diabetes Management System Main Menu:

1. Select IHS CORE Option: **QMAN**
2. Enter RETURN to continue or '^' to exit: **<Enter>**
3. Your choice: SEARCH// **1** Search PCC Database
4. What is the subject of your search? LIVING PATIENTS // **REGISTER**
5. Which CMS REGISTER: **IHS DIABETES** (or the name of your register)
6. Which Status(es): (1-8): 1// **8** (all statuses)
7. Which Diagnosis: All Diagnoses// **6** (all diagnoses)
8. Attribute of IHS DIABETES REGISTER: **<Enter>**
9. Your choice: DISPLAY// **4** STORE results of a search in a FM search template
10. Enter the name of the SEARCH TEMPLATE: **DRH DM REG 013119**
11. Are you adding 'DRH DM REG 013119' as a new SORT TEMPLATE? No// **Y** (Yes)
12. Edit? NO// **<Enter>**
13. Want to run this task in background? No// **<Enter>**

Start with your initials and use the current date to name your template.

Sample Results

PATIENTS	SELLS NUMBER
----------	-----------------

WATERMAN,RAE*	100003
WHEELWRIGHT,MAND	100006
MILLER,SALLY*	100010
ROBERTS,DIANE*	100018
WHEELWRIGHT,WALL	100026
VON BRAUN,RAY	100031
SMITH,MAUDE	100047
WASHINGTON,JOAN*	100050
WINKERBEAN,JESS*	100053
SMITH,FAY*	100065
WHEELWRIGHT,MALC	100069

Search template completed...
This query generates 11 "hits"
Time required to create search template: 1 SECOND



Finding New Patients with Diabetes: Step 2

Using the template to exclude register patients from your search

How: From the Diabetes Management System Main Menu:

1. Select IHS CORE Option: **QMAN**
2. Enter RETURN to continue or '^' to exit: **<Enter>**
3. Your choice: SEARCH// **1** Search PCC Database
4. What is the subject of your search? LIVING PATIENTS // **<Enter>**
5. Attribute of PATIENT: **[DRH DM REG 013119]**
6. Your choice (1-4): 1// **2** (Living pts must not be a member of the DRH DM REG 040512 cohort)
7. Attribute of PATIENT: **DX**
8. Enter DX: **[SURVEILLANCE DIABETES]**
9. Press return to continue: **<Enter>**
10. Enter ANOTHER DX: **<Enter>**
11. Want to save this DX group for future use? No// **<Enter>** (No)
12. First condition of "DIAGNOSIS": **SINCE**
13. Exact date: **T-3M** (OCT 31, 2018)
14. Next condition of "DIAGNOSIS": **<Enter>**
15. Attribute of LIVING PATIENTS: **<Enter>**
16. Your choice: DISPLAY// **<Enter>** to view on screen or **PRINTER NAME** to print
17. Your choice (1-3): 1// **2** or **3** (see examples below)

Type the name of your search template here.

This is a taxonomy that includes all the ICD-9 and 10 codes for diabetes

Type in an appropriate date. You can use an exact date or date a set amount of time in the past (such as T-12M).

Sample Results

Please note: Patients whose names are marked with an "*" may have aliases.

PATIENTS (Alive)	SELLS NUMBER	DX/ICD9 #	DATE OF POV	PROVIDER NARRATIVE
SMITH, CAROL	122695	250.00	FEB 28,1999	TYPE 2 DM
SMITH, CAROL	122695	250.00	MAY 25,1999	TYPE 2 DM
BRADY, MIKE	102695	250.00	MAR 15,1999	DIABETES
WILLIAMS, JASON	102052	250.00	APR 10,2000	DM SCREENING

PATIENTS	G ROND NUMBER	DX/ICD9 #	BENEFICIARY CLASS
WILLIAMS, MARCIA	988	+	INDIAN/ALASKA NA
DAVIDSON, MARK	888	+	INDIAN/ALASKA NA
BRADY, MIKE	34567	+	INDIAN/ALASKA NA
FUDD, ELMER	88879	+	INDIAN/ALASKA NA
Total:	4		

2) List of each patient visit where POV was for DM, with provider narratives
3) Unduplicated list of patients



Patients with No Diabetes on the Problem List

PLDX: Patients with no diagnosis of diabetes on problem list

The following steps can be used to find patients on your register that do not have a diagnosis of diabetes on their problem list. Patients that do not have a diagnosis of diabetes on their problem list may have been miscoded into the diabetes register. For patients that were not miscoded, it is important for the provider to be aware of the patient's diagnosis of diabetes.

Option 1: Report for patients on the DMS Register

1. Open RPMS
2. Go to **DMS** Diabetes Management System
3. Go to **AS** Audit Setup
4. Enter **PLDX** Patients w/no Diagnosis of DM on Problem List
5. Select **R** Those who are members of a registry
6. Enter the Name of the Register: **IHS DIABETES** [or the name of your register]
7. Do you want to select register patients with a particular status? Y// **<enter>**
8. Which status: A// **<enter>** ACTIVE
9. Enter your **Printer Name**, or use the default "HOME" to display the results on your screen.

Option 2: Report for patients with at least N visits with diabetes as purpose of visit (POV)

1. Open RPMS
2. Go to **DMS** Diabetes QA Audit Menu
3. Go to **AS** Audit Setup...
4. Enter **PLDX** Patients w/no Diagnosis of DM on Problem List
5. Select **D** Those with at least N Diabetes Diagnoses
6. How many diagnoses must the patient have had: (1-999): 3// **[enter any number]**
7. The report will allow you to restrict the results to patients whose last visit was "recent." Otherwise, the report will give you patients with at least N number of diabetes visits since the start of your RPMS database. [Enter a date, e.g., **T-24M**, or **<enter>**]
8. Enter your **Printer Name**, or use the default "HOME" to display the results on your screen.

***** CONFIDENTIAL PATIENT INFORMATION *****						
S1	TRAINING HC					Page 1
PATIENTS WITH NO DIAGNOSIS OF DIABETES ON PROBLEM LIST						
Patients on the IHS DIABETES Register						
PATIENT NAME	HRN	DOB		LAST DM DX	# OF DM DXS	
AEGLAMEN, LONNIE W	40785	Dec 27, 1959	M	Oct 30, 2005	3	
BACK, TOBI WYNN	21511	Nov 17, 1947	F	Apr 28, 1995	1	
BALYLLA, GERALD A JR	30487	Jan 16, 1939	M		0	
BOANU, SHERMAN W	37067	Aug 29, 1967	M	Oct 11, 2007	2	
JONES, MARSHA	99975	Jan 01, 1967	F	Mar 15, 2006	2	



Patients with No Date of Onset

NDOO: Patients with no date of onset

This report will list patients who are on the diabetes register who do not have an onset date for diabetes recorded in either the problem list or the register data (accessed through the Patient Management screen under #5 - Diagnosis). The Annual IHS Audit tracks the duration of time that patients have lived with diabetes.

1. Open RPMS
2. Go to **DMS** Diabetes Management System
3. Go to **RM** Register Maintenance...
4. Go to **RR** Register Reports...
5. Enter **NDOO** DM Register Pts w/no recorded DM Date of Onset
6. Enter the name of the Register: **IHS DIABETES** [or the name of your register]
7. Do you want to select register patients with a particular status? Y// **<enter>**
8. Which status: A// **<enter>**
9. Demo Patient Inclusion/Exclusion: E// **<Enter>**

***** CONFIDENTIAL PATIENT INFORMATION *****

S1 Page 1

TRAINING HC
DIABETES REGISTER PATIENTS WITH NO RECORDED DATE OF ONSET OF DIABETES
Patients on the IHS DIABETES Register

PATIENT NAME	HRN	DOB		LAST DM DX	#DM DXS	DM ON PL
AEGLA STEFF,AMY M	32951	Ju1 17, 1960	F	Apr 19, 2007	2	YES
ALLYSUN,JULIE ANN	477	Nov 11, 1927	F	Jun 23, 2003	56	YES
BALYLLA,GERALD A JR	30487	Jan 16, 1939	M		0	NO
BOANU,SHERMAN W	37067	Aug 29, 1967	M	Oct 11, 2007	2	NO
BUORESSE,LARRY A SR	40247	Nov 10, 1938	M	Aug 21, 2003	10	YES
CEODLA,CHAD B	29189	Jan 18, 1952	M	Ju1 10, 1995	5	YES
CREM,JOLYNE M	20989	Sep 23, 1948	F	Mar 24, 1999	6	YES
DALGERYTU,HEATHER A	38423	Nov 01, 1972	F	Feb 28, 2002	5	YES
DONN,SHEILA J	40457	Feb 18, 1937	F	Aug 04, 2003	2	YES

Last DM DX refers to the last time a patient received a diagnosis of diabetes. Typically, a patient will receive a diagnosis of diabetes every time that they see a provider

#DM DXS DM refers to the number of times a patient has received a diagnosis of diabetes. The number usually refers to how many purpose of visit for diabetes the patient has.

DM ON PL: Does the patient have a diagnosis of diabetes on their problem list?



Submitting the Electronic IHS Audit

Getting ready

Update your active diabetes register patients. These are the people you provide diabetes care to, and who you want to run your reports on throughout the year. If your definition of “active” patients is not the same as the audit definition, you can always use a QMAN search to fix that. (Instructions below.)

Save a template of active patients for your audit. You are aiming to include patients who:

- Have type 1 or type 2 diabetes
- Had at least 1 primary care visit in the calendar year
- Are American Indian or Alaska Native

Exclude patients who:

- Are receiving most of their diabetes care elsewhere (through Contract Health, a dialysis center, jail, nursing home, etc.)
- Did not live in the area during the year, or
- You were unable to contact (3 failed attempts in 12 months)

A QMAN Template for your audit population

SUBJECT: REGISTER	for primary care visits)
WHICH REGISTER: <name of your register, ex: IHS DIABETES>	<enter> until you get to the output screen
WHICH Status(es): 1 (active)	Your choice: 4 (store results in a search template)
WHICH Register Diagnosis: 6 (all diagnoses)	Enter the name of the SEARCH TEMPLATE: DM AUDIT 2020
ATTRIBUTE: DX	DESCRIPTION: Edit? Y
Enter DX: [SURVEILLANCE DIABETES <enter until next condition>	Cohort for 2020 Diabetes Audit. Uses Active IHS DIABETES register patients, beneficiary status 01, at least one visit in 2019 for diabetes (SURVEILLANCE DIABETES) coded for a clinic in the BGP PRIMARY CARE taxonomy.
ATTRIBUTE: VISIT	<F1, E> to save and exit
First condition: BETWEEN	Run this task in background? No// <enter>
Exact starting date: 1/1/2019	
Exact ending date: 12/31/2019	
Next condition: CLINIC	
Enter CLINIC: [BGP PRIMARY (this uses the GPRA taxonomy	

Check and update taxonomies. Instructions on pages 48-51.

Review your audit report. Follow the steps below. If you have paper charts (not EHR), you may wish to print an individual audit sheet for all patients and review their charts for missing items (print option 4).

1. From the main menu, go to **DMS** Diabetes Management System (*may also be listed as BDM*)
2. Select Diabetes Management System Option: **AR** (*Audit Reporting...*)
3. Select Diabetes QA Audit Menu Option: **DM20** (*2020 Diabetes Audit*)
4. End of taxonomy check. HIT RETURN <enter>
5. Enter the Official Diabetes Register: **IHS DIABETES** (*or the name of your register*)
6. Enter the Audit Date: 12/31/2018 (*The last day of the calendar year*)
7. Run the Audit for: P// **S** (*Search template of patients, if you made one - C if otherwise*)
8. Enter Search Template Name: <the name you saved>
9. Limit the audit to a particular primary care provider? N// <enter>
10. Limit the patients who live in a particular community? N// <enter>
11. Select Beneficiary Population to include in the audit: 1//<enter> **Indian/Alaska Native (Class. 01)**
12. Select whether to include or exclude pregnant patients in the audit: E// <enter> **Exclude Preg. Patients**
13. Do you want to select: A// <enter> (*ALL patients selected so far*)
14. Enter Print option: 1// **3** (*Audit Report*)
15. Demo Patient Inclusion/Exclusion: E// <enter>
16. Do you wish to: P// **P** to print, or **B** to Browse followed by PL to print



Submitting the Electronic IHS Audit

17. DEVICE: HOME// (enter the name of your printer here)

Create the audit data file

Follow steps 1-13 on the previous page, then:

13. Enter the Print Option: 1// 2 (Create AUDIT EXPORT file)

14. Enter the name of the FILE to be Created (3-20 characters): (Enter a short name, example: DMCLINIC20A. Your file may be saved to a server that is shared with other clinics, so it is useful to include the name or initials of your clinic in the name of the file, plus the year and an "A" in case you have to repeat.)

15. Write down the name of the file, example: DMCLINIC20A.txt

16. Is everything ok? Do you want to continue? Y// <enter>

17. Demo Patient Inclusion/Exclusion: E// <enter>

18. Won't you queue this? Y// <enter>

Wait a few minutes, then ask your site manager to retrieve the data file for you. It is usually saved in the spub directory (they will know what this is). To get it to you, they should save the file to a secure network drive — please do not send this identified patient information in unencrypted email.

Upload to WebAudit and check for errors

- For audit links, including WebAudit, go to www.diabetes.ihs.gov and click on "Audit" under "Resources" in the navigation list on the left.
 - If you don't have one already, request a WebAudit account.
19. Log in, then click on **Diabetes WebAudit**, then click on **Upload Data** and follow the instructions there.
20. Run the Data Quality Check. This will identify any values in your audit data that are unusually or impossibly high or low.
21. Review errors from the Data Quality Check. Some may be actual values (for example, high triglycerides). These can be left as they are.
22. Correct any actual errors (for example, a height of 12 inches) **in RPMS/EHR, not in WebAudit**. That way, your patient records will be more complete.
- If you see multiple errors with the same lab test, this is usually because (1) the lab is in the wrong taxonomy, or (2) the lab put a phrase such as "see comments" in the result field. If (1), fix the taxonomy before you create a new data file. If (2), note the chart numbers and correct values and save them for correction by hand in WebAudit (see below).

Repeat, if needed

If you had errors and corrected them in RPMS/EHR, you will need to create and upload a new data file (repeat previous steps).

Make final corrections and lock the data

- If you found errors that you were unable to correct in RPMS/EHR, you can go to "Data Entry" and correct them on the individual records, which are identified by chart number.
- Use the Facility Administration section of WebAudit to enter
 - the total number of patients (same as your number of records unless you used a sample)
 - your SDPI grant number
- When your audit is complete, remember to "lock" the records so that IHS will know to retrieve the final file. You should receive a confirmation email within minutes.

Existing Registers on Your System

Note: You will need access to the Case Management System (CASE, CMS, or ACM) to do this, or work with your site manager.

How: From the RPMS main menu:

1. Select IHS Core Option: **CASE** or **CMS** (depends on how your system is set up)
2. Select Case Management System Option: **CR** (Create/Modify Register Structure)

You should see a list of all the registers on your system.

To exit, hit enter.

If the name has the word DIABETES in it, the register can be used with the Diabetes Management System.

Before you can use a register, you must be added as an authorized user. Only the register creator can add users.

Finding & Changing the Register Creator

How: From the RPMS Main Menu:

1. Select Menu Option: **CMS**
2. Select CASE MANAGEMENT SYSTEM Option: **ECR**
3. Select Register: <Enter the name of your register here>
4. REGISTER CREATOR: LASTNAME,FIRSTNAME// **<Enter>** to keep the same creator or **NEWLASTNAME,NEWFIRSTNAME** to change the creator

```
Select Register: IHS PRE-DIABETES
REGISTER TYPE: IHS PRE-DIABETES      ABBREVIATION: DM
  DATE ESTABLISHED: DEC 07, 2010     REGISTER DEVELOPER: POSTMASTER
  VIEW ALL LIST ENTRIES: NO          PCC PROBLEM LIST: YES
  ALLOW LAYGO FOR LIST ENTRIES: NO   RESTRICT CATEGORY USE: YES
ELEMENTS: COMPLICATIONS
ELEMENTS: DIAGNOSES
ELEMENTS: RISK FACTORS
ELEMENTS: REGISTER DATA
ELEMENTS: DIAGNOSTIC CRITERIA
ELEMENTS: CASE REVIEW DATES
  REGISTER CREATOR: HEAD,DON
  AUTHORIZED USER: KAKUSKA,ERIK
  AUTHORIZED USER: HEAD,DON
  AUTHORIZED USER: LOPEZ,KERRI

REGISTER CREATOR: HEAD,DON//
```



Adding Users to Your Diabetes Register

How: From the Diabetes Management System main menu:

1. Select Diabetes Management System Option: **RM** Register Maintenance
2. Select Register Maintenance Option: **RM** Register Management
3. Select Register Management Option: **US** User Setup
4. Which one: **1** Add/Remove DMS Authorized User
5. Select NEW DMS User: LAST NAME, FIRST NAME
6. Do you wish to REMOVE LAST NAME, FIRST NAME as an Authorized User of the Diabetes Management System? **NO**
7. Remove LAST NAME, FIRST NAME's REGISTER MANAGER AUTHORITY? Enter YES or NO depending on whether this user is allowed manager authority.
8. Which one: "**^**" to return to the main menu.

OR

How: From the Case Management System main menu:

1. Select Case Management System Option: **AU** Add Authorized Users
2. REGISTER: **IHS DIABETES** (or the name of your diabetes register)
3. Select AUTHORIZED USER: **LAST NAME, FIRST NAME**
4. Are you adding LAST NAME, FIRST NAME as a new AUTHORIZED USER (the 3RD for this CMS REGISTER TYPE)? **Y**
5. Select AUTHORIZED USER: **<ENTER>** to exit or LAST NAME, FIRST NAME to enter another user

Creating a New Register

DIABETES

- Type 1
- Type 2

STATUS

- Active
- Inactive
- Transient
- Deceased

An analogy

Creating a register is like making a bunch of stickers that you can put on patient charts.

Adding patients to the register is like putting those stickers on charts.

Running reports is like reviewing charts that have certain stickers on them.



Creating a New Register (cont.)

You have three options for creating a register. For all options, from the main RPMS MENU:

1. Select IHS Core Option: **CASE** or **CMS** (depending on your menus -- both are for the CASE MANAGEMENT SYSTEM)

Option 1: Install Pre-Diabetes Register (PDM)

Select to create a register called IHS PRE-DIABETES with the fields listed in column 3 on the next page. You can create the register and rename it (if you wish) using CR - Option 3.

Option 2: Install IHS Diabetes Register (IDR)

Select to create a register called IHS DIABETES with the fields listed in column 1 on the next page. You can create the register and rename it (if you wish) using CR - Option 3.

Option 3: Create/Modify Register Structure (CR)

Use this option to create a diabetes register, or to rename either type of register created with PDM or IDR.

1. Select Case Management System Option: **CR**
2. Register: <SOMETHING> **DIABETES** (Typically IHS DIABETES)
IMPORTANT: The name must include the word DIABETES or PRE-DIABETES so that you can use it with DMS.
3. Are you adding 'IHS DIABETES' as a new CMS REGISTER TYPE? No // **Y**
4. REGISTER NAME: IHS DIABETES // <enter> to confirm or different name to change
5. DATE ESTABLSD: <today's date>
6. REGISTER CREATOR: LASTNAME,FIRSTNAME of person responsible for register
7. HEALTH SUMMARY DISPLAY: **Y** (regular Health Summary will show Diabetes Care Summary at the end for patients on the register)
8. BRIEF DESCRIPTION: (optional--a sentence to describe the purpose of the register)
9. 'A' to ADD, 'D' to DELETE ... ==> **<enter>**
(note: DMS will take care of these options for you, so you can skip this step)

ALL OPTIONS: Next steps (required)

1. Add YOURSELF and anyone else who needs to use the register as an authorized user (see "Adding Users to Your Register" section of this manual).
2. Users must also have security keys for DMS (see "Allocating Security Keys for DMS").
3. To use the register, go to DMS — DIABETES MANAGEMENT SYSTEM. If more than one register exists on your system, you will be prompted to specify which register.
4. There are no patients on a new register. To add them, use PM — PATIENT MANAGEMENT.



Diabetes and Pre-Diabetes Register Fields

Stored in the register		
Diabetes Register (IDR)	Both types of register	Pre-Diabetes Register (PDM)
<p>Diagnosis Gestational DM Imp Glucose Tolerance (IGT) Type 1 Type 2</p> <p>Complications CVA (Stroke) End Stage Renal Disease Fixed Proteinuria High Risk Foot Hypertension Laser Tx for Retinopathy Major Amputation(s) Minor Amputation(s) Retinopathy + [Any you add]</p>	<p>Register data (modified in Patient Management, #1)</p> <p>Register Status Where followed (clinic name) Register provider Case manager Contact Entry date (i.e. when added to register) Last review [date] Next review [date]</p>	<p>Diagnosis Gestational DM Imp Fasting Glucose (IFG) Imp Glucose Tolerance (IGT) Metabolic Syndrome Other Abnormal Glucose Type 1 Type 2</p> <p>Complications Acquired Acanthosis Nigricans CVA (Stroke) End Stage Renal Disease Fixed Proteinuria High Risk Foot Hypertension Laser Tx for Retinopathy Major Amputation(s) Minor Amputation(s) Morbid Obesity Obesity - NOS Polycystic Ovaries Proteinuria Retinopathy + [Any you add]</p>

Stored in the main database (PCC), but viewable through register reports		
Registration information Problem list Measurements: Height, weight, BMI, blood pressure Tobacco use & counseling Hypertension Exams: Foot, eye, dental	Patient education Depression as active diagnosis Depression screening Diabetes medications ACE/ARB use Antiplatelet therapy Lipid lower agents TB testing	ECG Immunizations: Flu, pneumovax, Td or Tdap Labs: HbA1c, serum creatinine, estimated GFR, cholesterol, HDL, LDL, triglycerides, urine protein testing
<p style="text-align: center;">What people see in the regular record of a patient who is on a diabetes register</p>		
<p>On the health summary: Diabetes patient care supplement (DPCS) shows up at the end In iCare: Register name displays in the individual patient's record</p>		



Allocating Security Keys for DMS

From your Site Manager's menu:

Choose **MENU MANAGEMENT**

Choose **KEY MANAGEMENT**

Choose **ALLOCATION OF SECURITY KEYS**

Allocate key: **AMQQZMENU**

Another key: **AMQQZCLIN**

Another key: **AMQQZEMAN**

Another key: **AMQQZMGR**

Another key: **AMQQZPROG**

Another key: **AMQQZRPT**

Another key: **BDMZMENU**

Another key: **BDMZ REGISTER MAINTENANCE**

Another key: **BDMZ SWITCH OLD DX ENTRIES**

Another key: **BDMZEDIT**

Another key: [Enter]

Holder of key: [LAST NAME, FIRST NAME]

Another holder: [Enter] or [Enter Another User]

<You've selected to following holders:

(User Name)

You are allocating keys. Do you wish to proceed? YES// [Enter]

<Key is being assigned to:

(User Name)

You will also need to go into Edit User and give user an "M" in the File Manager Access Code.

For the DMS GUI (Visual DMS) there are two SECONDARY MENU OPTIONS under Edit User:

SECONDARY MENU OPTIONS: BDMGRPC

SYNONYM: BDMG

SECONDARY MENU OPTIONS: BMXRPC

SYNONYM: BMX



What taxonomies are for

Some items in RPMS are entered the same way in every clinic that uses RPMS. ICD-10 codes, for example, are standardized internationally, so that R73.09 (ICD-10) always means impaired fasting glucose, no matter where you are.

Other RPMS items differ from one facility to the next. Lab tests and drugs are two examples. One site might call its fasting glucose test "Fasting glucose" and another would call it "Glucose, fasting." A person would recognize these two descriptions as the same test, but a computer would not. RPMS needs to be programmed to categorize these items correctly. This is done using taxonomies.

Taxonomies are the lists that tell RPMS what belongs in each category. For example, many patients with prediabetes may receive prescriptions for metformin. These prescriptions are not entered as "metformin," but rather as a specific name and type of metformin, along with a dose level. RPMS needs to reference a list to recognize all of those types and dose levels as "metformin."

When you run a report, such as the audit report, RPMS searches its patient records for any of those items. If a patient has received any of the metformin prescriptions on the list, the audit report will reflect that.

```
DM AUDIT METFORMIN DRUGS
```

```
Items currently defined to this taxonomy:  
METFORMIN HCL 500 MG TABLETS  
METFORMIN 500MG XR  
METFORMIN 1000MG
```

```
Press enter to continue:
```

Example of a drug taxonomy on the RPMS training server.

Look at the taxonomy check in your audit report

How: Each time you run an audit report, the system checks for empty taxonomies or panel tests that should not be included.

(You can also run the taxonomy check alone in the AS Audit Setup menu using TC20.)

```
In order for the 2020 DM AUDIT Report to find all necessary data, several taxonomies must be established. The following taxonomies are missing or have no entries:  
DRUG taxonomy [DM AUDIT ACARBOSE DRUGS] has no entries  
DRUG taxonomy [DM AUDIT AMYLIN ANALOGUES] has no entries  
LABORATORY TEST taxonomy [DM AUDIT CHOLESTEROL TAX] contains a panel test: LIPID PANEL and should not.  
ADA CODE taxonomy [DM AUDIT DENTAL EXAM ADA CODES] has no entries  
DRUG taxonomy [DM AUDIT GLP-1 ANALOG DRUGS] has no entries  
LABORATORY TEST taxonomy [DM AUDIT P/C RATIO TAX] has no entries  
LABORATORY TEST taxonomy [DM AUDIT TB LAB TESTS] has no entries
```

Some common error messages. Only the panel test error message needs to be dealt with. The rest are for medications or labs not used at this facility.

TB LAB TESTS refers to blood tests for tuberculosis, not PPD skin tests.

LMR–List Labs/Medications and Their Taxonomies

Run the LMR report to list lab/medications and their taxonomies

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **AS** Audit Setup...
2. Select Audit Setup Option: **LMR**
3. Do you wish to list: **L** (for LAB TESTS) or **M** (for MEDICATIONS)
4. Enter beginning Date for Search: **01/01/19** (go back at least to the beginning of the year)
5. Enter ending date for Search: **T** (shortcut for today's date)
6. Do you wish to: P// <enter> to print or B to browse

Hint: If you choose BROWSE, you can use the PL ("Print List") command to print the entire report.

Jan 16, 2018 Page 1

LAB TESTS Used at TRAINING
Date Range: Jan 01, 2019 - Dec 31, 2019

LAB TEST NAME TAXONOMIES	IEN	# DONE	UNITS	RESULT

1 HOUR GLUCOSE (PRENATAL GLUCO	1255	12	mg/dL	74
17-HYDROXYPROGESTERONE	616	1	ng/dL	54
CORTISOL	114	1	mcg/dL	9.4
CREATININE	173	2,128	mg/dL	.9
DM AUDIT CREATININE TAX				
CREATININE CLEARANCE	1242	1		
CREATININE, URINE	9999171	7	mls	2.0
CYSTINE	432	1		NORMAL
D-DIMER	1665407	1		<250
...				

Jan 16, 2018 Page 1

MEDICATIONS (DRUGS) Used at TRAINING
Date Range: Jan 01, 2019 - Dec 16, 2019

MEDICATION/DRUG NAME TAXONOMIES	IEN	# DONE

...		
IBUPROFEN 400MG TABLET	305	531
INDOMETHACIN 25MG CAPSULE	306	119
INSULIN NPH U-100	5177	216
DM AUDIT INSULIN DRUGS		
INSULIN REG.U-100	5176	216
DM AUDIT INSULIN DRUGS		
IPRATROPIUM BROMIDE HFA INHALE	84071	197
IRBESARTAN 300MG TABLET	84557	329
LISINOPRIL 10MG TABLET	84332	773
DM AUDIT ACE INHIBITORS		
LISINOPRIL 20MG TABLET	84333	541
DM AUDIT ACE INHIBITORS		

IEN: Internal Entry Number, a unique identifier used by the lab/pharmacy for that kind of test/medication.



Sample Bad Taxonomies & How to Fix Them

Example: Wrong item in the taxonomy

If the wrong items are in the wrong taxonomies, you may see values that look weird on reports.

Excerpt of an individual audit report

```
LABORATORY DATA during audit period
Total Cholesterol: 179. mg/dl Oct 20, 2017 CHOLESTEROL
HDL Cholesterol: 43. mg/dl Oct 20, 2017 HDL (CHOLESTEROL)
LDL Cholesterol: 179. mg/dl Oct 20, 2017 CHOLESTEROL
Triglycerides: 408. mg/dl Mar 15, 2017 TRIGLYCERIDE
```

The name of the test is printed on the right. Here, you can see that CHOLESTEROL is in the LDL taxonomy because it is showing up on the LDL line.

Why this happened

```
DIABETES TAXONOMY UPDATE FEB 25, 2020 17:17:43
Updating the DM AUDIT LDL CHOLESTEROL TAX taxonomy

1) LDL
2) CHOLESTEROL

Enter ?? for more actions
A Add Taxonomy Item R Remove an Item
Select Action:+//
```

This shows the LDL CHOLESTEROL taxonomy. You can get here by following steps 1-5 below.

Solution: Delete the extra items from the taxonomy.

How: From the Diabetes Management System Main Menu:

1. Select Diabetes Management System Option: **AS** (Audit Setup...)
2. Select Audit Setup Option: **TU** (Update/Review Taxonomies for 2020 DM Audit)
3. Select Action:+// **S** (Select Taxonomy)
4. Which Taxonomy: (1-44): **26** (DM AUDIT LDL CHOLESTEROL)
7. Select Action:+//R (Remove an Item)
8. Remove Which Item (1-5): 2
9. Are you sure you want to remove the LDL CHOLESTEROL lab test? N// Y
10. Select Action:+//Q (Quit)

The corrected taxonomy

```
DIABETES TAXONOMY UPDATE Feb 25, 2020 17:19:25
Updating the DM AUDIT LDL CHOLESTEROL TAX taxonomy

1) LDL

Enter ?? for more actions
A Add Taxonomy Item R Remove an Item
Select Action:+//
```

(Continued on next page)



Missing Taxonomy Item(s)

Individual audit report after correction

LABORATORY DATA during audit period			
Total Cholesterol:	179. mg/dl	Oct 20, 2017	CHOLESTEROL
HDL Cholesterol:	43. mg/dl	Oct 20, 2017	HDL (CHOLESTEROL)
LDL Cholesterol:	85. mg/dl	Mar 15, 2017	LDL
Triglycerides:	408. mg/dl	Mar 15, 2017	TRIGLYCERIDE

Example: Missing taxonomy item

When you know that patients are receiving care that is not showing up on reports, the taxonomy may need to be updated.

Excerpt from a cumulative audit report

DIABETES TREATMENT			
Diet and Exercise Alone	31	42%	
Insulin	8	11%	
...			
Metformin	25	34%	

Diet & Exercise is high, and metformin is low.

If you need a reference point, use the sample cumulative audit in this manual.

Solution: Add the missing item(s)

1. Run the LMR report for medications, as described in the previous section, to get the name(s) of the missing tests.

MEDICATIONS (DRUGS) Used at TRAINING		
Date Range: Jan 01, 2019 - Feb 25, 2020		
MEDICATION/DRUG NAME TAXONOMIES	IEN	# DONE
METAMUCIL WAFERS	84636	3
METFORMIN 1000 MG TABLET	84567	431
METFORMIN HCL 500MG TABLET	84486	714
DM AUDIT METFORMIN DRUGS		
METHADONE 10MG TAB	319	348

This metformin 1000 mg tablet should be in the METFORMIN taxonomy, but there is no taxonomy listed under it.

2. Select Diabetes Management System Option: **AS** (Audit Setup...)
3. Select Audit Setup Option: **TU** (Update/Review Taxonomies for 2020 DM Audit)
4. Select Action: +// **S** (Select Taxonomy)
5. Which Taxonomy: (1-44): **28** (DM AUDIT METFORMIN)
7. Select Action: +// **A** (Add Taxonomy Item)
8. Select DRUG GENERIC NAME: **METFORMIN 1000 MG TABLET**
9. Select Action: +// **Q** (Quit)

Update taxonomies at least once a year, or when —

- Elements of care are not showing up on patient summaries, even though you know that the patient received them.
- Results look weird (too high, too low, or exactly the same as another test)
- Percentages on the cumulative audit are unexpectedly high or low
- A new patch has been installed



DM THERAPY

Insulin

Any Insulin product in Drug File – Insulin, REG, NPH, Lente, Ultralente, Insulin Lispro (Humalog), Insulin Glargine (Lantus), Insulin Detemir (Levemir)

Insulin Aspart (Novolog), Insulin Glulisine (Apidra), Inhalable Insulin (Affreza, Exubera – discontinued 2007), Pre-Mixed Insulins (70/30, 75/25)

Sulfonylureas

Acetohexamide (Dymelor)
Chlorpropamide (Diabinese)
Glimepiride (Amaryl)
Glimepiride and pioglitazone (Duetact)
Glimepiride and rosiglitazone (Avandaryl)
Glipizide (Glucotrol)
Glipizide and metformin (Metaglip)
Glyburide (Diabeta, Micronase, Glynase, Glyceron)
Glyburide and metformin (GlucoVance)
Tolazamide (Tolinase)
Tolbutamide (Orinase)

Sulfonylurea-like

Nateglinide (Starlix)
Repaglinide (Prandin)
Repaglinide + Metformin (PrandiMet)

Metformin

Metformin (Glucophage, Fortamet, Glumetza, Riomet)
Metformin extended release (Glucophage XR, Glumetza)
Metformin and Alogliptin (Kazano)
Metformin and Canagliflozin (Invokamet)
Metformin and Dapagliflozin (Xigduo)
Metformin and Glipizide (Metaglip)
Metformin and Glyburide (Glucovance)
Metformin and Linagliptin (Jentadueto)
Metformin and Rosiglitazone (Avandamet)
Metformin and Pioglitazone (Actoplus met)
Metformin and Sitagliptin (Janumet)
Metformin and Repaglinide (PrandiMet)
Metformin and Saxagliptin (Kombiglyze XR)

Acarbose (Precose) or miglitol (Glyset)

Glitazones (Thiazolidinediones)

Pioglitazone (Actos)
Pioglitazone and Alogliptin (Oseni)
Pioglitazone and Metformin (Actoplus met)

Pioglitazone and Glimeperide (Duetact)
Rosiglitazone and Glimeperide (Avandaryl)
Rosiglitazone (Avandia)
Rosiglitazone and Metformin (Avandamet)
Troglitazone (Rezulin) – RECALLED in 2000

Incretin mimetics

Exenatide (Byetta, Bydureon)

DPP4 inhibitors

Alogliptin (Nesina)
Alogliptin and Metformin (Kazano)
Alogliptin and Pioglitazone (Oseni)
Linagliptin (Trajenta)
Linagliptin and Metformin (Jentadueto)
Sitagliptin (Januvia,)
Sitagliptin and metformin (Janumet)
Sitagliptin and Simvastatin (Juvizync)
Saxagliptin (Onglyza)
Saxagliptin and Metformin (Kombiglyze XR)

Amylin analogs

Pramlintide (Symlin)

GLP-1 analogs

Albiglutide (Tanzeum)
Dulaglutide (Trulicity)
Liraglutide (Victoza)

Bromocriptine (Parlodel, Cycloset)

Colesevelam (Welchol)

ACE INHIBITORS/ARBs

Benazepril (Lotensin)
Benazepril and hydrochlorothiazide (Lotensin HCT)
Benazepril and amlodipine (Lotrel)
Captopril (Capoten)
Captopril and hydrochlorothiazide (Capozide)
Enalapril (Vasotec)
Enalapril and hydrochlorothiazide (Vaseretic)
Enalapril and diltiazem (Teczem)
Enalapril and felodipine (Lexxel)
Fosinopril (Monopril)
Lisinopril (Prinivil, Zestril)
Lisinopril and hydrochlorothiazide (Prinzide, Zestoretic)
Moexipril (Univasc)
Perindopril (Aceon)
Quinapril (Accupril)
Ramipril (Altace)
Trandolapril (Mavik)

IHS Diabetes Audit Medications & Lab Tests

Trandolapril and verapamil (Tarka)

Also, include Angiotensin II Receptor Blockers (ARB) in this Taxonomy

Azilsartan (Edarbi)

Candesartan (Atacand)

Eprosartan (Teveten)

Irbesartan (Avapro)

Irbesartan and hydrochlorothizide (Avalide)

Losartan (Cozaar)

Losartan and hydrochlorothiazide (Cozaar)

Olmесartan (Benicar)

Telmisartan (Micardis)

Valsartan (Diovan)

Valsartan and hydrochlorothizide (Diovan/HCT)

ANTIPLATELET Therapy

Any non-aspirin anti-platelet product including Heparin and Warfarin (Coumadin)

Apixaban (Eliquis)

Aspirin and Dipyridamole (Aggrenox)

Cilistazol (Pletal)

Clopidogrel (Plavix)

Dabigatran Etxilate (Pradaxa)

Dipyridamole (Persantine)

Edoxaban (Sarvaysa)

Ticagrelor (Brilinta)

Ticlopidine (Ticlid)

Prasugrel (Effient)

Rivaroxaban (Xarelto)

Vorapaxar (Zontivity)

Aspirin (abbreviated ASA)

Aspirin-containing products (Verasa, Rubrasa)

Statin drugs

Atorvastatin (Lipitor)

Atorvastatin and Amlodipine (Caduet)

Atorvastatin and Ezetimibe (Liptruzet)

Fluvastatin (Lescol)

Lovastatin (Mevacor, Altocor, Altoprev)

Lovastatin and Niacin (Advicor)

Pravastatin (Pravachol)

Pitivistatin (Livalo)

Rosuvastatin (Crestor)

Simvastatin (Zocor)

Simvastatin and Ezetimibe (Vytorin)

Simvastatin and Niacin (Simcor)

Simvastatin and Sitagliptin (Juvisynt)

SGLT-2

Canagliflozin (Invokana)

Dapagliflozin (Farxiga)

Empagliflozin (Jardiance)

Lab Taxonomies

Labs vary from clinic to clinic. You want to make sure that:

1. Your lab taxonomies contain the names of labs as they are used at your facility
2. You include the name of the measurement or result, and not the panel that the test belongs to

The list below gives some suggestions of how the given lab tests might appear in different facilities.

BGP GPRA ESTIMATED GFR TAX

Estimated GFR, Calculated GFR, _GFR, Estimated, _GFR Non-African American, EST GFR, eGFR

BGP CREATINE KINASE TAX

CK, CPK, Creatine Kinase, Total CK

DM AUDIT ALT TAX

ALT, SGPT

DM AUDIT AST TAX

AST, SGOT

DM AUDIT CHOLESTEROL TAX

Cholesterol, Total Cholesterol, _Cholesterol, POC Cholesterol

DM AUDIT CREATININE TAX

(Note: Does NOT include urine creatinine)
Creatinine, POC Creatinine, Serum Creatinine, _Creatinine

DM AUDIT HDL TAX

HDL, HDL Cholesterol, POC HDL Cholesterol, _HDL Cholesterol

DM AUDIT HGB A1C TAX

Hemoglobin A1C, A1C, HGB A1C, HBA1C, HA1C, POC HEMOGLOBIN A1C, _A1C



DM AUDIT LDL CHOLESTEROL TAX

LDL, Direct LDL, LDL Cholesterol, LDL Cholesterol (calc), POC LDL Cholesterol, _LDL Cholesterol

DM AUDIT MICROALBUMINURIA TAX

Microalbumin, _Microalbumin, Albumin, Urine, POC Microalbumin

DM AUDIT QUANT UACR

Microalbumin/Creatinine Ratio measured in actual numeric values (mg/g Creatinine). Look

for tests A/C, A:C, Albumin/Creatinine, _A/C, -A/C, asterisk (*)A/C, Microalbumin/Creatinine, M-Alb/Creatinine.

DM AUDIT TB TESTS

Note: You do NOT need to add PPDs to this taxonomy; they will be picked up by the audit. QFT-G, T SPOT-TB, Quantiferon GOLD

DM AUDIT TRIGLYCERIDE TAX

Triglyceride, POC Triglyceride, _Triglyceride

Pre-2015 Audit Lab Taxonomies

You may wish to run reports that depend on these taxonomies for historical purposes, or because they contain indicators you are interested in. In previous years, for example, the audit reports included self-monitoring of blood glucose and Pap tests.

DM AUDIT GLUCOSE TESTS TAX

Glucose, Fasting Glucose, Finger Stick, Glucose, Whole Blood Glucose, Blood Sugar, Capillary Glucose, Accucheck, Lifescan

DM AUDIT FASTING GLUCOSE TESTS TAX

Fasting Glucose, Glucose, Fasting, FBS, DM AUDIT 75G 2 HR GLUCOSE, Glucose, 2 Hr P 75GM, 2 HR GTT, 75G 2Hr Glucose

DM AUDIT URINE PROTEIN TAX

Urine Protein as reported on Urine Dipsticks. This is a semi-quantitative test and is usually reported as:

Urine Protein, Ur Protein, Protein, Urine, Urine Protein Screen, Urine Protein (Spot), Protein Level, Urine, _Urine Protein

DM AUDIT P/C RATIO TAX

(measured in g/g)
Protein/Creatinine Ratio, P/C Ratio, Micro

DM AUDIT SEMI QUANT UACR

Microalbumin/Creatinine Ratio reported as a semi-quantitative test, e.g. Clinitek test strips. The most commonly reported results are <30, 30-300, or >300 mg/d creat.

NON HDL-TESTS**DM AUDIT URINALYSIS TAX**

Urinalysis, Urinalysis HLD, Urine Dipstick, Urine (Dipstick), UA or U/A, UA Dipstick or U/A Dipstick, UA Complete or U/A Complete

Common RPMS Data Entry Codes for Diabetes

Patient education (PED) codes

Nutrition/diet education

(DM AUDIT DIET EDUC TOPICS taxonomy)

DM-N Nutrition

DM-DIET (no longer used, but include in taxonomy for historical purposes)

DMC-N (*Balancing Your Life* curriculum)

Balancing Your Food Choices curriculum:

DMC-N-FL (Session 1: Intro to Food Labels)

DMC-N-CC (Session 2: Carbohydrate Counting)

DMC-N-EL (Session 3: Exchange Lists)

DMC-N-FS (Session 4: Food Shopping)

DMC-N-HC (Session 5: Healthy Cooking)

DMC-N-EA (Session 6: Eating Away from Home)

DMC-N-AL (Session 7: Use of Alcohol)

DMC-N-D (Session 8: Evaluating Diets)

Exercise education

(DM AUDIT EXERCISE EDUC TOPICS)

DM-EX Exercise

DMC-EX (*Balancing Your Life* curriculum)

Other diabetes education

(DM AUDIT OTHER EDUC TOPICS)

Any DM- or DMC- codes not in the previous lists

Tobacco cessation education topics

(DM AUDIT SMOKING CESS EDUC taxonomy)

Cessation can also be entered as a health factor

TO-Q or **TO-QT** Tobacco - Quit

TO-LA Tobacco - Lifestyle Adaptations

Depression screening education codes

Dep. screening can also be entered as POV V79.0 or exam code 36 - Depression Screening

DEP-SCR SCREENING

SB-SCR SCREENING

or other education codes starting with:

DEP- (depression)

SB- (suicidal behavior)

GAD- (generalized anxiety disorder)

BH- (behavioral and social health)

PDEP- (postpartum depression)

Health factor (HF) codes

Tobacco use health factors

(DM AUDIT TOBACCO HLTH FACTORS taxonomy)

NON-TOBACCO USER

CURRENT SMOKER, EVERY DAY

CURRENT SMOKER, SOME DAY

CURRENT SMOKER, STATUS UNKNOWN

CURRENT SMOKELESS [chewing/dip]

SMOKELESS TOBACCO, STATUS UNKNOWN

PREVIOUS (FORMER) SMOKER

PREVIOUS (FORMER) SMOKELESS

NEVER SMOKED

NEVER USED SMOKELESS TOBACCO

EXPOSURE TO ENVIRONMENTAL TOBACCO SMOKE

CEREMONIAL USE ONLY

SMOKER IN HOME

SMOKE FREE HOME

SMOKING STATUS UNKNOWN

Tobacco cessation counseling health factors

(DM AUDIT CESSATION HLTH FACTOR taxonomy)

Cessation can also be entered as education

CESSATION-SMOKELESS

CESSATION-SMOKER

Tuberculosis (TB) health factors – use ONLY if a patient has diagnosis of TB

(DM AUDIT TB HEALTH FACTORS)

TB - TX UNTREATED

TB - TX INCOMPLETE

TB - TX COMPLETE

TB - TX IN PROGRESS

TB - TX UNKNOWN

Exams (EX) and Historical exams (HEX)

28 DIABETIC FOOT EXAM, COMPLETE

03 DIABETIC EYE EXAM

30 DENTAL EXAM

36 DEPRESSION SCREENING

Results

N NORMAL/NEGATIVE

A ABNORMAL

ICD-9 Codes for DMS and QMAN Searches

DIABETES and PRE-DIABETES DIAGNOSES	
Type 1 and Type 2 diabetes	250.00-250.93
Type 1 diabetes	All 250 codes with a 5th digit of 1 or 3
Not stated as uncontrolled	250.01, 250.11, 250.21, 250.31, 250.41, 250.51, 250.61, 250.71, 250.81, 250.91
Uncontrolled	250.03, 250.13, 250.23, 250.33, 250.43, 250.53, 250.63, 250.73, 250.83, 250.93
Type 2 diabetes	All 250 codes with a 5th digit of 0 or 2
Not stated as uncontrolled	250.00, 250.10, 250.20, 250.30, 250.40, 250.50, 250.60, 250.70, 250.80, 250.90
Uncontrolled	250.02, 250.12, 250.22, 250.32, 250.42, 250.52, 250.62, 250.72, 250.82, 250.92
Diabetes Screening	V77.1
Metabolic syndrome, pre-diabetes	277.7
Abnormal glucose	790.21-790.29
Impaired fasting glucose (IFG)	790.21
Impaired glucose tolerance (IGT) test (oral)	790.22
Other abnormal glucose	790.29
Gestational Diabetes (GDM)	648.80-648.84
DIABETES COMPLICATIONS	
End Stage Renal Disease (ESRD)	585, V56.0 (hemodialysis encounter), V45.1 (s/p hemodialysis)
Lower Extremity Amputation (LEA)	895.0-897.7, V49.70-V49.77 (s/p LEA)
Hypertension (HTN)	401.0-405.99
Retinopathy	250.50-250.53, 362.01-362.02
Laser treatment for retinopathy	CPT 67228
Neuropathy	250.60-250.63, 337.1, 355.9, 357.2
Proteinuria (includes microalbuminuria)	791.0
Hyperlipidemia (cholesterol or triglycerides)	272.0-272.4
Stroke (CVA)	436
Transient Ischemic Attack (TIA)	435.9
Heart Attack (MI)	410.00-410.92 (acute MI)
Tuberculosis	010.00-018.96, 137.0-137.4, 795.5, V12.01
Non-compliance with medical treatment	V15.81
RISK FACTORS FOR DIABETES and RISK BEHAVIORS	
Obesity	278.00
Morbid obesity for surgical treatment	278.01
Acanthosis nigricans	701.2
Family history of diabetes	V18.0
Polycystic ovarian syndrome (PCOS)	256.4
Lack of exercise	V69.0
Inappropriate eating habits	V69.1
Smoking	305.1-305.13, V15.82 (history of smoking)
Depression	296.*, 300.*, 301.13, 308.3, 309.*, 311.*



ICD-10 Codes for DMS and QMAN Searches

DIABETES and PRE-DIABETES DIAGNOSES	
Type 1 and Type 2 diabetes	
Type 1 diabetes	E10.10-E10.9
With complications... E10.10-E10.8	ketoacidosis, nephropathy, CKD, retinopathy, diabetic cataract, neuropathy, amyotrophy, peripheral angiopathy, arthropathy, dermatitis, foot/skin ulcer, periodontal disease, hypoglycemia, hypersmolarity, unspecified
Without complications	E10.9
Type 2 diabetes	E11.01-E11.9
With complications... E11.01-E11.8	ketoacidosis, nephropathy, CKD, retinopathy, diabetic cataract, neuropathy, amyotrophy, peripheral angiopathy, arthropathy, dermatitis, foot/skin ulcer, periodontal disease, hypoglycemia, hypersmolarity, unspecified
Without complications	E11.9
Diabetes Screening	Z13.1
Metabolic syndrome, pre-diabetes	E88.81
Abnormal glucose	R73.09
Impaired fasting glucose (IFG)	R73.01
Impaired glucose tolerance (IGT) test (oral)	R73.02
Other abnormal glucose	R73.09
Gestational Diabetes (GDM)	O24.410-O24.439
DIABETES COMPLICATIONS	
End Stage Renal Disease (ESRD)	I12.0, I13.11, I13.2, N18.6
Lower Extremity Amputation (LEA)	T87.33-T87.54
Hypertension (HTN)	I10, I15.0-I15.9, I27.0-I27.2, I87.301-I87.399, I97.3, K76.6
Retinopathy	E08.311-E08.359, E09.311-E09.359, E10.311-E10.359, E11.311-E11.359, E13.311-E13.359
Neuropathy	E08.40, E08.43, E09.40, E09.43, E10.40, E10.43, E11.40, E11.43, E13.40, E13.43
Proteinuria (includes microalbuminuria)	N06.0-N06.9, R80.0-R80.9
Hyperlipidemia (cholesterol or triglycerides)	E78.2-E78.5
Stroke (CVA)	G46.3, G46.4
Transient Ischemic Attack (TIA)	G45.8, G45.9
Heart Attack (MI)	I21.01-I25.2
Tuberculosis	A15.0-A15.9, A17.89, A17.9, A18.01-A18.89, A19.0-A19.9, B90.0-B90.9, J65, O98.011-O98.03, P47.0
Non-compliance with...	Z91.11 (dietary regimen), Z91.14 (medication regimen), Z91.15 (renal dialysis), Z91.19 (medical treatment)
RISK FACTORS FOR DIABETES and RISK BEHAVIORS	
Obesity	E66.01-E66.9
Acanthosis nigricans	L83
Family history of diabetes	Z83.3
Polycystic ovarian syndrome (PCOS)	E28.2
Lack of physical exercise	Z72.3
Inappropriate eating habits	Z72.4



Section 3: Reference Materials



Indian Health Service

Standards of Care and Clinical Practice Recommendations:

Type 2 Diabetes

Diabetes Audit Logic Descriptions

IHS Standards of Care for Type 2 Diabetes (2012, excerpt)

(Excerpt) Table 1. IHS Standards of Care for Type 2 Diabetes Summary

Component	Care/Test/Screening	Frequency (“At diagnosis”=when diabetes is diagnosed)
General Recommendations for Care	Perform diabetes-focused visit Review care plan: assess goals/strengths/barriers Assess nutrition, physical activity, BMI, and growth in youth	Every 3-6 months Each diabetes visit, revise as needed Each diabetes visit
Self-Management Education (DSME)	Refer to diabetes educator	At diagnosis, then every 6-12 mo., or more as needed
Medical Nutrition Therapy (MNT)	Refer for MNT provided by a registered dietitian	At diagnosis and at least yearly, or more as needed
Glycemic Control	Check A1C, individualize goal: e.g., < 7%, 7-8%, 8-9%, etc. Review goals, medications, side effects If prescribed, review SMBG data	Every 3-6 months Every diabetes visit Every diabetes visit
CVD Risk Reduction	Prescribe statin with lifestyle therapy regardless of LDL level Check lipid profile LDL < 100 mg/dL (optimal goal), LDL < 70 mg/dL (for very high risk) Non-HDL cholesterol < 130 mg/dL, < 100 mg/dL (for very high risk) Assess smoking/oral tobacco use Aspirin therapy 75-162 mg/day (unless contraindicated)	Adults with CVD; age > 40 y. with ≥ 1 CVD risk factor Annually. If abnormal, follow current NCEP guidelines. Each visit: Ask, Advise, Assess, Assist, Arrange Known CVD/PAD; 10-year CVD Risk > 10%
Blood Pressure	Check blood pressure Individualize goal: e.g., < 130/80 mmHg, < 140/90 mmHg Youth goal: Varies with age	Every visit
Kidney Care	Check urine albumin/creatinine ratio (UACR) for albuminuria using a random urine sample (normal < 30 mg/g; micro 30-300 mg/g; macro > 300 mg/g) Check serum creatinine and estimate GFR If HTN, prescribe ACE Inhibitor or ARB unless contraindicated	At diagnosis, then annually At diagnosis, then annually
Eye Care	Retinal camera photo or dilated eye exam by an ophthalmologist or optometrist	At diagnosis, then annually; or as directed by eye specialist
Foot Care	Visual inspection of feet with shoes and socks off Perform comprehensive lower extremity/foot exam Screen for PAD (consider ABI)	Each diabetes visit; stress daily self-exam At diagnosis, then annually At diagnosis, then annually
Oral Care	Inspection of gums/teeth Dental exam by dental professional	At diagnosis, then at diabetes visits At diagnosis, then every 6 -12 months
Autonomic Neuropathy	Assess CV symptoms; resting tachycardia, exercise intolerance, orthostatic hypotension Assess GI symptoms; gastroparesis, constipation, diarrhea Assess sexual health/function for men and women	At diagnosis, then annually At diagnosis, then annually At diagnosis, then annually
Emotional Health	Assess emotional health; screen for depression, substance abuse	At diagnosis, then annually
Immunizations	Influenza vaccine Pneumococcal vaccine Hepatitis B immunization	Annually Once < 65 y. Re-immunize if ≥65 y. and 1st dose given before age 65 and if vaccine was administered > 5 y. prior. Unvaccinated adults < 60 y.
Preconception, Pregnancy, and Postpartum Care	Ask about reproductive intentions/assess contraception Provide preconception counseling Screen for undiagnosed type 2 diabetes Screen for GDM in all women not known to have diabetes Screen for type 2 diabetes in women who had GDM	At diagnosis, and then every visit 3-4 months prior to conception At first prenatal visit At 24-28 weeks gestation At 6-12 weeks postpartum, then every 1-3 y. lifelong



IHS Standards of Care for Type 2 Diabetes (2012, excerpt)

Diagnostic Criteria for Type 2 Diabetes

Recommendations for Diagnosing Type 2 Diabetes

- γ Use the criteria below to diagnose type 2 diabetes in non-pregnant patients:
 - γ Hemoglobin A1C (A1C) \geq 6.5%; or
 - γ Fasting plasma glucose (FPG) \geq 126 mg/dL, where FPG is defined as no caloric intake for at least 8 hours; or
 - γ 2-hour oral glucose tolerance test (OGTT) \geq 200 mg/dL; or
 - γ Casual plasma glucose \geq 200 mg/dL with symptoms of hyperglycemia, where “casual” is defined as any time of day without regard to time of last meal.
 - γ In the absence of unequivocal hyperglycemia, confirm a positive result by repeat testing on a different day.
- **Note:** While it is acceptable to **screen** for diabetes using a point-of-care (POC) capillary A1C and/or glucose, diabetes should only be **diagnosed** using laboratory-run tests. In addition, the A1C test alone may be less accurate when used to diagnose diabetes in youth.

Categories of Increased Risk for Diabetes (Prediabetes)

Recommendation for Identifying Patients at Increased Risk

- γ Use the following criteria to identify patients at increased risk for diabetes:
 - γ Impaired fasting glucose (IFG) defined as FPG 100-125 mg/dL, **or**
 - γ Impaired glucose tolerance (IGT) defined as 2-hour OGTT 140-199 mg/dL
- γ A1C may be used as a screening test. If the result is 5.7-6.4%, perform either a FPG or an OGTT to confirm a diagnosis of prediabetes.

Patients whose blood glucose levels are higher than normal but not high enough to be considered diabetes may be at increased risk for developing diabetes. Patients with impaired fasting glucose or impaired glucose tolerance have been referred to as having “prediabetes.” Providers are encouraged to identify patients at increased risk for diabetes so they can start or intensify efforts to prevent progression to diabetes. Diabetes prevention programs for these patients are available throughout AI/AN communities.

- **Note:** The American Diabetes Association (ADA) criteria include use of the A1C alone to identify prediabetes. However, all other major standard-setting diabetes organizations do not recommend using the A1C test alone to identify patients with prediabetes.



IHS Standards of Care for Type 2 Diabetes (2012, excerpt)

Testing for Diabetes/Prediabetes in Non-pregnant Asymptomatic AI/AN People

Recommendations for Testing for Diabetes/Prediabetes in AI/AN Adults

- γ Test AI/AN adults at least every 3 years.
- γ Consider testing more frequently in patients with additional risk factors, including:
 - γ Overweight/obese (Body Mass Index [BMI] ≥ 25 kg/m²)
 - γ Family history of type 2 diabetes in first degree relative
 - γ History of gestational diabetes (GDM) or delivery of a baby weighing > 9 pounds
 - γ Polycystic ovarian syndrome (PCOS)
 - γ Cardiovascular disease (CVD)
 - γ Hypertension
 - γ HDL cholesterol < 35 mg/dL and/or triglycerides > 250 mg/dL
 - γ *Acanthosis nigricans*.

Recommendations for Testing for Diabetes/Prediabetes in AI/AN Youth

- γ Test overweight AI/AN youth (BMI > 85th percentile) with **any** of the following risk factors:
 - γ Family history of diabetes
 - γ Signs of insulin resistance or conditions associated with it [e.g., *acanthosis nigricans*, polycystic ovarian syndrome (PCOS), hypertension, dyslipidemia, small-for-gestational-age (SGA), or large-for-gestational-age (LGA) birth weight]
 - γ Maternal history of diabetes or gestational diabetes during child's gestation.
- γ Start testing at-risk children at age 10 years (or younger if puberty occurs earlier).
- γ Test at-risk children \leq every 3 years.

→ **Note:** In patients who present with hyperglycemic symptoms, testing for diabetes is warranted regardless of risk factors listed above.

For a copy of the complete version of the IHS Standards of Care visit: www.diabetes.ihs.gov



2020 Diabetes Audit Logic Descriptions

Note: Audit Logic uses several taxonomies for diagnosis codes, CPT codes, LOINC codes, SNOMED codes, and medications that are used by other national RPMS programs. The contents of those taxonomies may be reviewed by using the **VTAX** (View/Print Any DM Audit Taxonomy) report option, found in the Diabetes Management System **Reports menu**. View or print the contents of site-populated taxonomies by using the **TU20** (Update/Review Taxonomies for 2019 DM Audit) menu option under the **AS** Audit Setup menu. View contents of SNOMED lists by using the **VSML** (View a SNOMED List Used by the DM AUDIT) menu option.

AUDIT DATE (AKA AUDIT PERIOD END DATE)

This date, supplied by the user, determines the time period for which data are reviewed for the Audit. For most Audit elements, data are reviewed for the 12 months prior to the Audit date, known as the Audit period.

For example, if the Audit date is December 31, 2018, data are reviewed for the year prior to this date (January 1-December 31, 2018).

FACILITY NAME

This is the name of the facility at which the Audit is being run. It is the division or facility to which the user logged in. (The DUZ(2) variable is used.)

REVIEWER INITIALS

Initials of the person running the Audit. A maximum of 3 initials may be used. This information is taken from the New Person (file 200) entry for the user.

STATE OF RESIDENCE

This is the state in which the patient resides at the time the Audit is conducted. This is captured from the mailing address.

CHART NUMBER

Health record number of the patient at the facility at which the Audit is run.

Note: This item is not included in the Audit Export (Data) File and cannot be uploaded to the WebAudit.

DATE OF BIRTH

The patient's Date of Birth. Obtained from data entered through patient registration.

Only the month and year of birth are included in the Audit Export (Data) File and can be uploaded to the WebAudit, along with the age of the patient as of the Audit date.

SEX

The gender of the patient. Obtained from data entered through patient registration.

PRIMARY CARE PROVIDER

The name of the primary care (designated) provider documented in RPMS. Taken from field Primary Care Provider (#.14) of the patient file.

Note: This item is not included in the Audit Export (Data) File and cannot be uploaded into the WebAudit.

DATE OF DIABETES DIAGNOSIS

The diabetes onset date. This date is used in the calculation of the duration of diabetes. Users can choose from three different dates:

- The date of onset from the Diabetes Register.
- The earliest date of onset from all diabetes related problems on the problem list. The problem list is scanned for all problems in the ICD diagnosis code ranges defined in the SURVEILLANCE DIABETES taxonomy or SNOMED code defined in PXRDM DIABETES SNOMED subset.
- The first recorded diagnosis (POV) of diabetes in PCC. ICD codes: SURVEILLANCE DIABETES taxonomy.

Audit Report: When calculating the duration of diabetes, the earliest of the date of onset from the diabetes register or the problem list date of onset is used. Duration of diabetes is calculated from that date to the Audit date. If neither the date of onset in the register nor the date of onset in the problem list is recorded, the duration of diabetes is not calculated. The first diagnosis date from POV is not used.

Audit Export (Data) File: The earliest date found from the Diabetes register or the problem list is exported. Format: MM/DD/YYYY

DM TYPE

The following logic is used to determine diabetes type. Once a 'hit' is made, no further processing is done.



2020 Diabetes Audit Logic Descriptions

1. If the diagnosis documented in the Diabetes Register is NIDDM the type is assumed to be Type 2.
2. If the diagnosis documented in the Diabetes Register is "TYPE II" the type is assumed to be Type 2.
3. If the diagnosis documented in the Diabetes Register contains a '2' the type is assumed to be Type 2.
4. If the diagnosis documented in the Diabetes Register contains IDDM the type is assumed to be type 1.
5. If the diagnosis documented in the Diabetes Register is "Type I" the type is assumed to be Type 1.
6. If the diagnosis documented in the Diabetes Register contains a '1' the type is assumed to be Type 1.
7. If no diagnosis is documented in the Diabetes Register, or it does not contain any of the above strings the problem list is then scanned.
If any diabetes diagnosis on the problem list [SURVEILLANCE DIABETES taxonomy] is also in the DM AUDIT TYPE II DXS taxonomy then the type is assumed to be Type 2.
8. If any diabetes diagnosis on the problem list is also in the DM AUDIT TYPE I DXS taxonomy then the type is assumed to be Type 1.
9. If no diagnosis exists on the problem list or in the diabetes register, then the last PCC purpose of visit related to diabetes is reviewed.
If the diagnosis is contained in the DM AUDIT TYPE II DXS taxonomy the type is assumed to be Type II, if it is contained in the DM AUDIT TYPE I DXS taxonomy it is assumed to be Type I.
10. If type is not determined by any of the above, type is assumed to be Type 2 for the Audit (Data) Export File and Audit Report. For the Individual Audit and Diabetes Health Summary, "Not Documented" is displayed.

TOBACCO - SCREENED DURING AUDIT PERIOD

If any of the following items is documented during the Audit period, then a value of 1 - Yes is assigned. Otherwise, a value of 2 - No is assigned.

- Health Factor in the TOBACCO (SMOKING) Category.
- Health Factor in the TOBACCO (SMOKELESS - CHEWING/DIP) Category.
- The PCC Problem list and purpose of visits are scanned for any diagnosis contained in the BGP TOBACCO DXS taxonomy or the SNOMED subsets PXR M BGP TOBACCO SCREENED and PXR M BGP CURRENT TOBACCO.
- Any visit with Dental ADA code 1320 documented.
- Any visit with the following CPT codes documented: BGP TOBACCO SCREEN CPTS taxonomy.

TOBACCO USE STATUS

The last documented of the following items is found:

1. Health Factors in the categories TOBACCO (SMOKING) and TOBACCO (SMOKELESS - CHEWING/DIP) that relate to the patient's tobacco use status. As of the DM Audit 2020 these are the health factors available: (the ones with one asterisk (*) indicate a current user, those with two asterisks (**)) are non-tobacco users, the others are put in the "Not Documented" category).

- *CURRENT SMOKELESS TOBACCO (SMOKELESS - CHEWING/D
- **PREVIOUS (FORMER) SMOKELESS TOBACCO (SMOKELESS - CHEWING/D
- **CESSATION-SMOKELESS TOBACCO (SMOKELESS - CHEWING/D
- SMOKELESS TOBACCO, STATUS UNKNOWN TOBACCO (SMOKELESS - CHEWING/D
- **NEVER USED SMOKELESS TOBACCO TOBACCO (SMOKELESS - CHEWING/D
- **NON-TOBACCO USER TOBACCO (SMOKING)
- *CURRENT SMOKER, STATUS UNKNOWN TOBACCO (SMOKING)
- **PREVIOUS (FORMER) SMOKER TOBACCO (SMOKING)
- **CESSATION-SMOKER TOBACCO (SMOKING)
- *CURRENT SMOKER, EVERY DAY TOBACCO (SMOKING)
- *CURRENT SMOKER, SOME DAY TOBACCO (SMOKING)
- **NEVER SMOKED TOBACCO (SMOKING)
- SMOKING STATUS UNKNOWN TOBACCO (SMOKING)
- *HEAVY TOBACCO SMOKER TOBACCO (SMOKING)
- *LIGHT TOBACCO SMOKER TOBACCO (SMOKING)

If a factor is found in each of these categories, the one that indicates active use is used. If one is found in just one category, it is used. For example, patient has LIGHT TOBACCO SMOKER and NEVER USED SMOKELESS TOBACCO documented - the LIGHT TOBACCO USER is used. If the patient has NEVER SMOKED and CURRENT SMOKELESS documented, CURRENT SMOKELESS is used.

2. Diagnoses contained in the BGP TOBACCO DXS taxonomy or SNOMED subsets PXR M BGP TOBACCO SCREENED and PXR M BGP CURRENT TOBACCO. Both the V POVs and Problem List are checked. The latest documented diagnosis that is contained in the taxonomy is used. Diagnoses that indicate a tobacco user: diagnoses codes in the BGP TOBACCO USER DXS taxonomy, all others are considered non-tobacco user. If a SNOMED is found and it is contained in the PXR M BGP CURRENT TOBACCO subset it is used.
3. Dental ADA code 1320 - TOBACCO USE INTERVENTION TO PREVENT DISEASE. If this code is documented the patient is considered a tobacco user.
4. A CPT code documented that is in the BGP TOBACCO SCREEN CPTS taxonomy. If the code found is in the BGP TOBACCO USER CPTS taxonomy the patient is considered a tobacco user, all others are considered a non-tobacco user.

If the patient is a user, then "1 - Current user" is assigned.

If the patient is not a tobacco user, then "2 - Not a current user" is assigned.

Otherwise "3 - Not documented" is assigned.



2020 Diabetes Audit Logic Descriptions

TOBACCO CESSATION COUNSELING

If the tobacco use status is "1 - Current user" then counseling documented in the past year is searched for. Counseling is defined as any of the following:

1. A visit to clinic 94 - TOBACCO CESSATION CLINIC
2. A patient education topic that meets any of the following criteria:
 - a. Begins with TO- (e.g. TO-Q)
 - b. Ends in -TO (e.g. CAD-TO)
 - c. Begins with any Tobacco User diagnosis (taxonomy is BGP TOBACCO USER DXS) (e.g. 305.1-L)
 - d. Begins with any Tobacco User CPT code (e.g. 99407-L)
 - e. Begins with a SNOMED code from any of the following SNOMED subsets:
 - PXRMBGP TOBACCO TOPICS
 - PXRMBGP TOBACCO SMOKER
 - PXRMBGP TOBACCO SMOKELESS
 - PXRMBGP QUIT TOBACCO
 - PXRMBGP TOBACCO SCREENED
 - PXRMBGP CURRENT TOBACCO
3. Any of the following CPT codes documented. These indicate tobacco use counseling: CPT code D1320, 99406, 99407, G0375 (old code), G0376 (old code), 4000F, 4001F, G8402 or G8453.
4. Dental ADA code 1320.

To see a list of these codes use option VSML View a SNOMED List Used by the DM AUDIT which can be found on the Audit Setup menu.

The latest documented of the above 5 data elements is displayed along with the date.

If no counseling is found, then the system will look for a smoking aid prescribed:

Any prescription for a medication in the site-populated BGP CMS SMOKING CESSATION MEDS taxonomy that does not have a comment of RETURNED TO STOCK. A prescription for any medication with name containing "NICOTINE PATCH", "NICOTINE POLACRILEX", "NICOTINE INHALER", or "NICOTINE NASAL SPRAY" that does not have a comment of RETURNED TO STOCK.

If any the above is found, then a value of 1 - Yes is assigned.
Otherwise, a value of 2 - No is assigned.

ELECTRONIC NICOTINE (ENDS)-SCREENED DURING AUDIT PERIOD

The last documented health factor in the category ELECTRONIC NICOTINE DELIV SYSTEM (ENDS) during the Audit period is found.

Screened for electronic nicotine delivery system (ENDS) use during Audit period:

If a health factor is found a value of 1 - Yes is assigned.

If no health factors have been recorded during the Audit period a value of 2 - No is assigned.

ENDS USE STATUS

The last documented health factor in the category ELECTRONIC NICOTINE DELIV SYSTEM (ENDS) is found.

Use status is assigned as follows:

CURRENT ENDS USER: 1 - Current User
CESSATION ENDS USER: 1 - Current User
PREVIOUS ENDS USER: 2 - Not a current user
NEVER USED ENDS USER: 2 - Not a current user
No health factor recorded: 3 - Not documented

HEIGHT

The last recorded height value taken on or before the Audit date.

Total height in inches is displayed for the Individual Audit and Diabetes Health Summary.

AUDIT Export (Data) File: The last recorded height prior to the Audit date is exported - either in feet and inches or just inches. The inches are rounded to 2 decimal digits. For example, 1.25 inches.

WEIGHT

The last recorded Weight value documented during the Audit period.

AUDIT Export (Data) File: The last recorded weight during the Audit period is exported, truncated to the nearest whole pound.

BMI

BMI is calculated as:

$BMI = (\text{weight}/\text{height}^2) \times 703.$
weight=the last weight (in lbs) documented during the Audit period.



2020 Diabetes Audit Logic Descriptions

height=the last height (in inches) recorded any time before the Audit date.

Audit Report: The number and percent of patients in each BMI category are calculated. If the patient did not have a height or weight recorded as described above, they are put into the "Height or weight missing" category.

Note: This item is not included in the Audit Export (Data) File.

HYPERTENSION DOCUMENTED

If hypertension is on the problem list or the patient has had at least 3 visits with a diagnosis of hypertension ever, then it is assumed that they have hypertension and a value of 1 - Yes is assigned. Otherwise, a value of 2 - No is assigned.

Taxonomy used: SURVEILLANCE HYPERTENSION.

SNOMED List: PXR Essential Hypertension. To see a list of these codes use option "VSML- View a SNOMED List Used by the DM Audit" which can be found on the Audit Setup menu.

BLOOD PRESSURES (LAST 1, 2 or 3)

The most recently recorded systolic and diastolic blood pressure values (up to three on different days) on non-ER clinic visits during the Audit period are obtained. If more than one blood pressure is recorded on any one day, the latest one is used.

Audit Report: If two or three blood pressures are available, then the mean is calculated and used to determine the blood pressure category. If only one blood pressure is available, it used to determine the category.

AUDIT Export (Data) File: The blood pressure values obtained above are exported, but mean blood pressure is not.

FOOT EXAM - COMPLETE

The logic used in determining if a comprehensive or complete foot exam has been done is as follows:

1. A documented DIABETIC FOOT EXAM, COMPLETE (CODE 28) is searched for in the year prior to the Audit date. This is recorded in V Exam. If found, no other processing is done, an exam is assumed to have been done.
2. CPT codes 2028F and G9226 in V CPT [Taxonomy: BGP CPT FOOT EXAM]
3. A visit on which a podiatrist (provider class codes 33=PODIATRIST, 84=PEDORTHIST or 25=CONTRACT PODIATRIST) that is not a DNKA visit is searched for in the year prior to the Audit date. If found, it is assumed the exam was done and no further processing is done.
4. A visit to clinic 65=PODIATRY or B7=Diabetic Foot clinic that is not a DNKA is searched for in the year prior to the Audit date. If found, no other processing is done.

If any of the above is found, a value of 1 - Yes is assigned. If none of the above are found the value is 2 - No.

EYE EXAM (dilated or retinal imaging)

The logic used in determining if a diabetic eye exam has been done is as follows:

1. The system looks for the last documented Diabetic Eye Exam in the year prior to the Audit date. Diabetic Eye Exam is defined as:
 - a. EXAM 03 - Diabetic Eye Exam
 - b. CPT in either the BGP DM RETINAL EXAM CPTS or the BGP DM EYE EXAM CPTS taxonomy.
2. If one of the above is found, the value 1 - Yes is assigned and no further processing is done.
3. If none of the above is found, then all PCC Visits in the year prior to the Audit date are scanned for a non-DNKA, non-refraction visit to an Optometrist or Ophthalmologist (24, 79, 08) or an Optometry or Ophthalmology Clinic (17, 18, or A2). If found, then the value 1 - Yes is assigned and an indication of what was found is displayed. Refraction is defined as a POV on the visit of: [DM AUDIT REFRACTION DXS]. DNKA is defined as any visit with a primary purpose of visit with a provider narrative containing the following phrases: DNKA, DID NOT KEEP APPOINTMENT, DID NOT KEEP APPT.
4. If none of the above are found, the value 2 - No is assigned.

DENTAL EXAM

The logic used in determining if a dental exam has been done is as follows:

1. A documented DENTAL EXAM (CODE 30) is searched for in the year prior to the Audit date. If found, the value 1 - Yes is assigned and no other processing is done.
2. A visit to clinic 56 - DENTAL clinic that is not a DNKA is searched for in the year prior to the Audit date. If found, and there is any ADA code other than 9991, then it is assumed the exam was done, the value 1 - Yes is assigned and no other processing is done.
3. A visit on which a dentist (provider class code 52 -DENTIST) that is not a DNKA visit is searched for in the year prior to the Audit date. If found, and there is any ADA code other than 9991, then it is assumed the exam was done, the value 1 - Yes is assigned and no further processing is done.
4. A Visit on which a CPT code from the BGP DENTAL VISIT CPT CODES taxonomy was recorded. If found, then it is assumed the exam was done, and the value 1 - Yes is assigned.

If none of the above are found, the value 2 - No is assigned.

2020 Diabetes Audit Logic Descriptions

DEPRESSION AN ACTIVE PROBLEM

The patient's problem lists in both PCC and the Behavioral Health module are reviewed for any problem with a code that is contained in the BGP MOOD DISORDERS taxonomy; or for the following Behavioral Health problem codes: 14, 15.

If no problem is found on the problem list, then the PCC and BH systems are reviewed for at least 2 diagnoses (POV's) of the codes listed above in the year prior to the Audit date.

If either a problem is found on the problem list or 2 POV's are found then the value assigned is 1 - Yes. If not, then a value of 2 - No is assigned.

DEPRESSION SCREENING

This item is only reviewed if depression was not found on the problem list and the patient is not currently being seen for depression. (See item DEPRESSION AS AN ACTIVE PROBLEM)

The PCC and Behavioral health databases are reviewed for any of the following documented in the past year:

Exam 36 or Behavioral Health Module Depression Screening.

Diagnosis - V POV V79.0, Z13.3*.

Measurements PHQ2, PHQ9, PHQT.

Behavioral Health Module Diagnosis (POV) of 14.1.

Diagnosis in the BGP MOOD DISORDERS taxonomy used as a Purpose of Visit.

Diagnosis in the BGP MOOD DISORDERS taxonomy used as a Purpose of visit in the Behavioral Health system.

Problem Code of 14 or 15 used as a Purpose of Visit in the Behavioral Health system.

CPT codes 1220F, 3725F or G0444 in PCC or Behavioral Health.

If any of the above is found, then a value of 1 - Yes is assigned. If not, then a value of 2 - No is assigned.

NUTRITION INSTRUCTION

The values for the Audit are:

- 1 RD (Registered Dietitian)
- 2 Other
- 3 Both RD & Other
- 4 None

All visits in the year prior to the Audit date are examined. Chart review visits are skipped (service category of C or clinic code of 52).

- If the primary provider on any visit is a DIETITIAN or NUTRITIONIST (codes 29, 07 or 34) then RD is assigned.
- If the visit does not have one of the above providers but has a Diagnosis of [BGP DIETARY SURVEILLANCE DXS] then Other is assigned.
- If the visit has a CPT documented of 97802, 97803, or 97804 then RD is assigned.
- If the visit contains any of the following education topics Topic in the DM AUDIT DIET EDUC TOPICS taxonomy or any
 - Topic ending in -N
 - Topic ending in -DT
 - Topic ending in -MNT
 - Topic beginning with MNT-
 - Topic beginning with DNCN-

The V PAT ED entry is examined and if the provider documented in that entry is a Dietitian or Nutritionist the RD is assigned if the provider is blank or not a dietitian/nutritionist then Other is assigned.

At this point:

- if RD is assigned and Other is not then the value assigned is 1 - RD.
- if RD and Other is assigned then the value assigned is 3 - Both RD & Other.
- if Other is assigned and RD is not then the value assigned is 2 - Other.

Processing stops if a value is assigned.

If none of the above is documented, the value 4 - None is assigned.

PHYSICAL ACTIVITY INSTRUCTION

All visits in the year prior to the Audit date are examined. If there is a visit on which a patient education topic in the DM AUDIT EXERCISE EDUC TOPICS taxonomy, or any topic ending in "-EX" is documented then a 1 - Yes value is assigned. No further processing is done.



2020 Diabetes Audit Logic Descriptions

All visits in the year prior to the Audit date are examined for a POV of V65.41 (there are no ICD10 codes) and if one is found a 1 - Yes is assigned.

If none of the above is documented, the value is 2 - No

DM EDUCATION (OTHER)

All education topics documented in the year prior to the Audit date are examined. If any topic meets the following criteria, then the value assigned is 1 - Yes:

- topic does not end in -EX, -N, -DT or -MNT
- topic does not begin with MNT-
- topic is a member of the DM AUDIT EDUC TOPICS taxonomy OR the topic begins with one of the following:
 - DM- (e.g. DM-L)
 - DMC- (e.g. DMC-L)
 - an ICD Diagnosis code that is a member of the SURVEILLANCE DIABETES taxonomy (e.g. 250.00-L, E10.51-L)
 - a Diabetes SNOMED code (e.g. 46635009-L)

If none of the above is documented, the value is 2 - No

DIABETES THERAPY

The following logic is used to determine if the patient is currently taking any medication in each of the categories below:

1. Looks for any PCC V Medication entry for any drug in the taxonomy of drugs being searched for where the visit date of the V Medication is in the 6 months prior to the Audit date. (Looking to see if the patient had at least 1 fill in the past 6 months.)
2. If no V Medication is found, the Prescription file (file 52) is searched for any drug in the taxonomy of drugs being searched for. The prescription number must begin with an X (an X indicates that the prescription was e-prescribed). If the prescription begins with an X the following calculation is done:
 - days supply times (# of refills +1) (this is the total number of days the prescription covers)
 - # of days calculated above + issue date (this is the last date the prescription covers)
 - If the date calculated above is greater than the Audit date minus 180 days it is assumed the patient was taking that medication in the 6 months prior to the end of the Audit date
3. If no medications are found in searches 1 and 2 above the system will look for any EHR Outside Medication that fits into one of medication categories. EHR Outside Medications are found in the V Medication file and have a value in the EHR Outside Medication field and no discontinued date. The system will go back 10 years to find one of these medications. It is assumed that a medication entered as an EHR Outside Medication is active until it is discontinued.

If any medication in the taxonomy specified is found, then an 'X' is placed by the therapy name and a value of 1 - Yes is entered in the Audit Export file. If no medications are found, then the None of the following item is marked with an 'X' and a value of 1 - Yes is entered in the Audit Export file for this item while a value of 2 - No is entered for all other DM therapy items.

Therapy	Taxonomy Name
Insulin	DM AUDIT INSULIN DRUGS
Metformin	DM AUDIT METFORMIN DRUGS
Sulfonylurea	DM AUDIT SULFONYLUREA DRUGS
DPP4 inhibitor	DM AUDIT DPP4 INHIBITOR DRUGS
GLP-1 agonist	DM AUDIT INCRETIN MIMETIC DM AUDIT GLP-1 ANALOG DRUGS
SGLT-2 inhibitor	DM AUDIT SGLT-2 INHIBITOR DRUG
Pioglitazone, rosiglitazone	DM AUDIT GLITAZONE DRUGS
Acarbose, miglitol	DM AUDIT ACARBOSE DRUGS
Rapaglinide, Nateglinide	DM AUDIT SULFONYLUREA-LIKE
Amylin analog	DM AUDIT AMYLIN ANALOGUES
Bromocriptine	DM AUDIT BROMOCRIPTINE DRUGS
Colesevelam	DM AUDIT COLESEVELAM DRUGS

ACE INHIBITOR OR ARB

The taxonomy used to find ACE Inhibitors is DM AUDIT ACE INHIBITORS.

If any drug in the above listed taxonomy is found using the logic detailed below a value of 1 - Yes is assigned, no further processing is done.

1. Searches for any PCC V Medication entry for any drug in the taxonomy of drugs being searched for where the visit date of the V Medication is in the 6 months prior to the Audit date. (DM Audit is looking to see if the patient had at least 1 fill in the past 6 months.)
2. If no V Medication is found the Prescription file (file 52) is searched for any drug in the taxonomy of drugs being searched for. The prescription number must begin with an X (an X indicates that the prescription was e-prescribed). If the prescription begins with an X the



2020 Diabetes Audit Logic Descriptions

following calculation is done:

- days supply times (# of refills +1) (this is the total number of days the prescription covers)
- # of days calculated above + issue date (this is the last date the prescription covers)
- If the date calculated above is greater than the Audit date minus 180 days it is assumed the patient was taking that medication in the 6 months prior to the end of the Audit date

3. If no medications are found in searches 1 and 2 above the system will look for any EHR Outside Medication that fits into one of medication groups. EHR Outside Medications are found in the V Medication file and have a value in the EHR Outside Medication field and no discontinued date. The system will go back 10 years to find one of these medications. It is assumed that a medication entered as an EHR Outside Medication is active until it is discontinued.

If no relevant drugs are found, then a 2 - No is assigned.

ASPIRIN/ OTHER ANTIPLATELET/ANTICOAGULANT THERAPY

Two taxonomies are used to find Aspirin and Other Antiplatelet/Anticoagulant therapy: DM AUDIT ASPIRIN DRUGS; DM AUDIT ANTIPLT/ANTICOAG RX

If any drug in the above listed taxonomies is found using the logic detailed below a value of 1 - Yes is assigned, no further processing is done.

1. Searches for any PCC V Medication entry for any drug in the taxonomy of drugs being searched for where the visit date of the V Medication is in the 6 months prior to the Audit date. (DM Audit is looking to see if the patient had at least 1 fill in the past 6 months.)
2. If no V Medication is found the Prescription file (file 52) is searched for any drug in the taxonomy of drugs being searched for. The prescription number must begin with an X (an X indicates that the prescription was e-prescribed). If the prescription begins with an X the following calculation is done:
 - days supply times (# of refills +1) (this is the total number of days the prescription covers)
 - # of days calculated above + issue date (this is the last date the prescription covers)
 - If the date calculated above is greater than the Audit date minus 180 days it is assumed the patient was taking that medication in the 6 months prior to the end of the Audit date
3. If no medications are found in searches 1 and 2 above the system will look for any EHR Outside Medication that fits into one of medication groups. EHR Outside Medications are found in the V Medication file and have a value in the EHR Outside Medication field and no discontinued date. The system will go back 10 years to find one of these medications. It is assumed that a medication entered as an EHR Outside Medication is active until it is discontinued.
4. The Non-VA meds component in the pharmacy patient file is reviewed for any drug in the above mentioned taxonomies or an orderable item whose first 7 characters is "ASPIRIN" and whose 8th character is not a "/".

If no relevant drugs are found, then a 2 - No is assigned.

STATIN THERAPY

One taxonomy is used to find Statin therapy: BGP PQA STATIN MEDS

If any drug in the above listed taxonomy is found using the logic detailed below a value of 1 - Yes is assigned, no further processing is done.

1. Searches for any PCC V Medication entry for any drug in the taxonomy of drugs being searched for where the visit date of the V Medication is in the 6 months prior to the Audit date. (DM Audit is looking to see if the patient had at least 1 fill in the past 6 months.)
2. If no V Medication is found the Prescription file (file 52) is searched for any drug in the taxonomy of drugs being searched for. The prescription number must begin with an X (an X indicates that the prescription was e-prescribed). If the prescription begins with an X the following calculation is done:
 - days supply times (# of refills +1) (this is the total number of days the prescription covers)
 - # of days calculated above + issue date (this is the last date the prescription covers)
 - If the date calculated above is greater than the Audit date minus 180 days it is assumed the patient was taking that medication in the 6 months prior to the end of the Audit date
3. If no medications are found in searches 1 and 2 above the system will look for any EHR Outside Medication that fits into one of medication groups. EHR Outside Medications are found in the V Medication file and have a value in the EHR Outside Medication field and no discontinued date. The system will go back 10 years to find one of these medications. It is assumed that a medication entered as an EHR Outside Medication is active until it is discontinued.

Statin Allergy defined as:

Adverse drug reaction/documentated statin allergy defined as any of the following: 1) ALT and/or AST > 3x the Upper Limit of Normal (ULN) (i.e. Reference High) on 2 or more consecutive visits during the Audit Period; 2) Creatine Kinase (CK) levels > 10x ULN or CK > 10,000 IU/L during the Report Period; 3) Myopathy/Myalgia, defined as any of the following during the Report Period: POV ICD-9: 359.0-359.9, 729.1, 710.5, 074.1; ICD-10: G71.14, G71.19, G72.0, G72.2, G72.89, G72.9, M35.8, M60.80-M60.9, M79.1; 4) any of the following



2020 Diabetes Audit Logic Descriptions

occurring anytime through the end of the Report Period: A) POV ICD-9: 995.0-995.3 AND E942.9; B) "Statin" or "Statins" entry in ART (Patient Allergies File); or C) "Statin" or "Statins" contained within Problem List or in Provider Narrative field for any POV ICD-9: 995.0-995.3, V14.8; ICD-10: Z88.8.

Test Definitions:

ALT: Site-populated taxonomy DM AUDIT ALT TAX or the BGP ALT LOINC taxonomy.

AST: Site-populated taxonomy DM AUDIT AST TAX or the BGP AST LOINC taxonomy.

Creatine Kinase: Site-populated taxonomy BGP CREATINE KINASE TAX or the BGP CREATINE KINASE LOINC taxonomy.

Statin Intolerance/Contraindication defined as:

Contraindications to Statins defined as any of the following: 1) Pregnancy (see definition below); 2) Breastfeeding, defined as POV ICD-9: V24.1; ICD-10: Z39.1 or breastfeeding patient education codes BF-BC, BF-BP, BF-CS, BF-EQ, BF-FU, BF-HC, BF-ON, BF-M, BF-MK, or BF-N during the Report Period; 3) Acute Alcoholic Hepatitis, defined as POV ICD-9: 571.1; ICD-10: K70.10, K70.11 during the Report Period; or 4) NMI (not medically indicated) refusal for any statin at least once during the Report Period.

Pregnancy definition: At least two visits during the Audit Period with POV or Problem diagnosis ICD-9: 640.*3, 641.*3, 642.*3, 643.*3, 644.*3, 645.*3, 646.*3, 647.*3, 648.*3, 649.*3, 651.*3, 652.*3, 653.*3, 654.*3, 655.*3, 656.*3, 657.*3, 658.*3, 659.*3, 660.*3, 661.*3, 662.*3, 663.*3, 665.*3, 668.*3, 669.*3, 671.*3, 673.*3, 674.*3, 675.*3, 676.*3, 678.*3, 679.*3, V22.0-V23.9, V28.81, V28.82, V28.89, V72.42, V89.01-V89.09; ICD-10: (see logic manual for codes), where the primary provider is not a CHR (Provider code 53). Pharmacy-only visits (clinic code 39) will not count toward these two visits. If the patient has more than two pregnancy-related visits during the Report Period, the Audit will use the first two visits in the Report Period. The patient must not have a documented miscarriage or abortion occurring after the second pregnancy-related visit. Miscarriage definition: 1) POV ICD-9: 630, 631, 632, 633*, 634*; ICD-10: O03.9; 2) CPT 59812, 59820, 59821, 59830. Abortion definition: 1) POV ICD-9: 635*, 636* 637*; ICD-10: O00.*-O03.89, O04.*, Z33.2; 2) CPT 59100, 59120, 59130, 59136, 59150, 59151, 59840, 59841, 59850, 59851, 59852, 59855, 59856, 59857, S2260-S2267; 3) Procedure ICD-9: 69.01, 69.51, 74.91, 96.49; ICD-10: 0WHR73Z, 0WHR7YZ, 10A0***, 3E1K78Z, 3E1K88Z.

CVD

CVD diagnosis (using DM AUDIT CVD DIAGNOSES taxonomy) is searched for on the patient's problem list. If a diagnosis is found, a 1 - Yes is assigned.

If no problem is found on the problem list, then the V POV file is searched for the following, if found, a 1 - Yes is assigned along with the visit date on which the item was found:

- One diagnosis ever of any code in the BGP CABG DXS taxonomy. The codes are: Z95.1 (ICD-10) Presence of aortocoronary bypass graft V45.81 (ICD-9) AORTOCORONARY BYPASS
- One diagnosis ever of any code in the BGP PCI DXS taxonomy. Codes are: V45.82 (ICD-9) STATUS-POST PTCA Z95.5 (ICD-10) Presence of coronary angioplasty implant and graft Z98.61 (ICD-10) Coronary angioplasty status
- Two diagnoses ever of any code in the DM AUDIT CVD DIAGNOSES taxonomy.
- One procedure ever documented of any code in the BGP PCI CM PROCS taxonomy.
- One procedure ever documented of any code in the BGP CABG PROCS taxonomy.
- One CPT procedure ever documented of any code in the BGP PCI CM CPTS taxonomy.
- One CPT procedure ever documented of any code in the BGP CABG CPTS taxonomy.

If none of the above are found, a value of 2 - No is assigned.

TB TEST DONE

The type of TB Test done is determined in the following way:

1. If the patient has a TB health factor recorded, TB on the problem list or any diagnosis of TB documented in the PCC then the test type is assigned as 1 - Skin Test (PPD), no further processing is done.
2. All recorded PPD entries and TB lab tests using the DM AUDIT TB LAB TESTS TAX prior to the Audit date are gathered. If at least one is found the latest one is used, if it is a Skin test then 1 - Skin test (PPD) is assigned, if it is a lab test then 2 - Blood Test is assigned.
3. If no TB test is found then the value is 3 - UNKNOWN/NOT OFFERED.

TB TEST RESULT

If a TB test was done, the test result is determined in the following way:

1. If the patient has a TB health factor recorded, TB on the problem list or any diagnoses of TB documented in the PCC then the test result is assigned as 1 - Positive, no further processing is done. Taxonomy Used is DM AUDIT TUBERCULOSIS DXS.
2. All recorded PPD entries and TB lab tests using the DM AUDIT TB LAB TESTS TAX prior to the Audit date are gathered. If at least one is found the latest one is used, if it is a Skin test and the reading or result is Positive (reading >9) then it is assigned as 1 - Positive,

2020 Diabetes Audit Logic Descriptions

if reading or result of last PPD is negative, then the values is 2 - Negative, if the test type is a blood test then the value of the test is examined, if it is Positive then 1 - Positive is recorded, if it is negative then 2 - Negative is assigned. If the results are null the value 3 - Unknown/Not offered is assigned.

3. If no result is found then the value assigned is 3 - Unknown/not offered.

TB RESULT POSITIVE, ISONIAZID TX COMPLETE

If the value of the TB Test result is POSITIVE then the last TB health factor is looked at for determining TB Treatment status. The last recorded TB Health factor is displayed. The TB Health factors are: TB - TX COMPLETE, TB - TX INCOMPLETE, TB - TX UNKNOWN, TB - TX UNTREATED, TB - IN PROGRESS.

The value assigned is based on the last recorded health factor:

TX COMPLETE	1 - Yes
TX INCOMPLETE	2 - No
TX UNTREATED	2 - No
TX IN PROGRESS	2 - No
TX UNKNOWN	3 - Unknown

TB RESULT NEGATIVE, TEST DATE

If the value of TB test result is NEGATIVE then the date of the last TB test is displayed.

HEPATITIS C - HCV Diagnosis Ever

The Purpose of Visits are scanned for any diagnosis ever contained in the BGP HEPATITIS C DXS taxonomy. If one is found the value of 1 - Yes is assigned, if no diagnosis is found the Problem List is scanned for a diagnosis contained in the BGP HEPATITIS C DXS taxonomy or a SNOMED contained in the PXR M HEPATITIS C snomed list. If that is found on the problem list a value of 1 - Yes is assigned, if not found a value of 2 - No is assigned.

HEPATITIS C - SCREENED EVER

If the patient has a diagnosis of Hepatitis C this item is skipped.

Hepatitis C Screening (Ab Test) is determined by the following: CPT 86803; BGP HEP C TEST LOINC CODES taxonomy; site-populated lab test taxonomy BGP HEP C TEST TAX.

The V LAB file is scanned for any test contained in the lab test and LOINC taxonomies. The V CPT file is scanned for CPT 86803.

If a lab test or CPT code is found a value of 1 - Yes is assigned.

If a lab test or CPT code is not found a value of 2 - No is assigned.

RETINOPATHY (DIAGNOSED EVER)

If retinopathy is on the problem list or the patient has had at least 1 visits with a diagnosis of retinopathy ever, then it is assumed that they have been diagnosed with retinopathy and a value of 1 - Yes is assigned. Otherwise, a value of 2 - No is assigned.

Taxonomy used: DM AUDIT RETINOPATHY DIAGNOSES SNOMED List: PXR M BGP DM RETINOPATHY

LOWER LEG AMPUTATION (EVER)

The patient's electronic record is scanned for documentation of any of the following items:

1. The purpose of visits are scanned for any diagnosis in the BGP DM BTK AMP DXS or the BGP DM ATK AMP DXS taxonomies. If a diagnosis is found a value of 1 - Yes is assigned.
2. The problem list is scanned for a diagnosis in the BGP DM BTK AMP DXS or BGP DM ATK AMP DXS taxonomies or a SNOMED in the PXR M BGP DM BTK AMP or PXR M BGP DM ATK AMP SNOMED subsets.
3. The procedures are scanned for a procedure in the BGP DM BTK AMP PROCS or BGP DM ATK AMP PROCS taxonomies.
4. The CPT codes are scanned for a CPT in the BGP DM BTK AMP CPTS or BGP DM ATK AMP CPTS taxonomies.

If any of the above are found, a value of 1 - Yes is assigned, otherwise a value of 2 - No is assigned.

INFLUENZA VACCINE DURING AUDIT PERIOD

The patient's data is scanned for an influenza vaccine in the 12 months prior to the Audit date. Influenza vaccine is determined by:

- Immunization CVX codes: See BGP FLU IZ CVX CODES taxonomy

15	INFLUENZA, SPLIT [TIVhx] (INCL
16	INFLUENZA, WHOLE
88	INFLUENZA, NOS
111	INFLUENZA, Intranasal, Trivale
135	INFLUENZA, HIGH DOSE SEASONAL
140	INFLUENZA, seasonal, injectabl
141	INFLUENZA [TIV], SEASONAL, INJ



2020 Diabetes Audit Logic Descriptions

- 144 INFLUENZA, INTRADERMAL
- 149 INFLUENZA, Live, Intranasal, Q
- 150 INFLUENZA, INJECTABLE, QUAD, P
- 151 INFLUENZA NASAL, UNSPECIFIED
- 153 INFLUENZA, INJECTABLE, MDCK, P
- 155 INFLUENZA, INJECTABLE, RECOMB,
- 158 INFLUENZA, Injectable, Quadrav
- 161 INFLUENZA, injectable,quadriva
- 166 INFLUENZA, intradermal, quadri
- 168 INFLUENZA, Trivalent, adjuvant
- 171 Influenza, injectable, MDCK, p
- 185 influenza, recombinant, quadri
- 186 Influenza, injectable, MDCK, q

- CPT codes: BGP CPT FLU
- Diagnosis codes: BGP FLU IZ DXS (there are no ICD10 codes)

If any of the above is found, a value of 1 - Yes is assigned.

If no documented immunization is found, a search is done for a documented refusal in the Audit period. If one is found, then a value of 3 - Refused is assigned.

If neither of the above are found, a value of 2 - No is assigned.

PNEUMOCOCCAL VACCINE EVER

Data is scanned for pneumococcal vaccine any time prior to the Audit date. A pneumococcal vaccine is determined by:

- Immunization CVX codes:

- 33 PNEUMOCOCCAL
- 100 Pneumococcal, PCV-7
- 109 PNEUMOCOCCAL, NOS
- 133 Pneumococcal, PCV-13
- 152 Pneumococcal, Unspecified

- Diagnoses: V03.82 (there are no ICD10 codes)
- CPT codes: BGP PNEUMO IZ CPTS taxonomy (90669, 90670, 90732, G0009, G8115, G9279)

If any of the above is found, a value of 1 - Yes is assigned.

If none is found, the refusal file is checked for a documented refusal of this vaccination. Refusals documented in both the PCC and the Immunization register are reviewed. If one is found, then a value of 3 - Refused is assigned.

If neither of the above is found, a value of 2 - No is assigned.

Td, Tdap, DTap, or DT IN PAST 10 YEARS

Immunizations are scanned for any tetanus vaccine in the 10 years prior to the Audit date. Logic used to find a TD vaccine:

Immunization CVX codes:

- 115 Tdap
- 9 TD (ADULT)
- 113 TD (ADULT) PRESERVATIVE FREE
- 115 Tdap
- 138 Td-NA
- 139 Td,NOS
- 1 DTP
- 20 DTAP
- 28 DT (PEDIATRIC)
- 35 TETANUS TOXOID
- 106 DTAP, 5 PERTUSSIS ANTIGENS
- 107 DTAP, NOS
- 112 TETANUS TOXOID, NOS
- 22 DTP-HIB
- 50 DTAP-HIB
- 110 PEDIARIX
- 120 PENTACEL
- 130 KINRIX
- 132 DTaPIPvHhb

CPT Codes: APCH TD CPT

LOW VALUE: 90698 HIGH VALUE: 90698

LOW VALUE: 90700 HIGH VALUE: 90701



2020 Diabetes Audit Logic Descriptions

LOW VALUE: 90702 HIGH VALUE: 90702
LOW VALUE: 90703 HIGH VALUE: 90703
LOW VALUE: 90714 HIGH VALUE: 90714
LOW VALUE: 90715 HIGH VALUE: 90715
LOW VALUE: 90718 HIGH VALUE: 90718
LOW VALUE: 90720 HIGH VALUE: 90723

If any of the above is found, a value of 1 - Yes is assigned.

If none is found, the refusal file is checked for a documented refusal of this vaccination. Refusals documented in both the PCC and the Immunization register are reviewed. If one is found, then a value of 3 - Refused is assigned.

If neither of the above is found, a value of 2 - No is assigned

Tdap EVER

Immunizations are scanned for a Tdap vaccine ever. A Tdap vaccine is determined by:

CVX code 115 Tdap
CPT code 90715

If either of the above is found, a value of 1 - Yes is assigned.

If none is found, the refusal file is checked for a documented refusal of this vaccination. Refusals documented in both the PCC and the Immunization register are reviewed. If one is found, then a value of 3 - Refused is assigned.

If neither of the above is found, a value of 2 - No is assigned.

HEPATITIS B COMPLETE SERIES EVER

Data is scanned for hepatitis B vaccine any time prior to the Audit date.

HEP B (3 DOSE SERIES) is determined by:

CVX codes:

- 8 HEP B, ADOLESCENT OR PEDIATRIC
- 42 HEP B, ADOLESCENT/HIGH RISK IN
- 43 HEP B, ADULT
- 44 HEP B, DIALYSIS
- 45 HEP B, NOS
- 51 HIB-HEP B
- 102 DTP-HIB-HEP B
- 104 HEP A-HEP B
- 110 DTaP-Hep B-IPV
- 132 DTaP-IPV-HIB-HEP B, historical
- 146 DTaP,IPV,Hib,HepB
- 193 Hep A-Hep B, pediatric/adolescent

CPT codes contained in the BGP HEPATITIS CPTS taxonomy: 90636, 90723, 90731, 90740, 90743, G0010, Q3021, Q3023

HEP B (2 DOSE SERIES) is determined by: CVX code 189 Hep B, adjuvanted

Vaccinations must be given at least 20 days apart. If the appropriate number are found (2 for the 2 dose series or 3 for the 3 dose series) a value of 1 - Yes is assigned.

If less than the required number of vaccines are found, the system will look for an Immune Contraindication in the Immunization contraindications file. If it is found, a value of 4 - Immune is assigned. The system then looks for evidence of disease: Problem List or V POV of [BGP HEP EVIDENCE] Taxonomy. If it is found, a value of 4 - Immune is assigned.

If the required number of vaccinations are not found and immunity or evidence of disease is not found, the system searches for a refusal documented in the past year. If one is found, then a value of 3 - Refused is assigned. Refusal definitions: Immunization Package refusal or PCC refusal of the above listed CVX or CPT codes.

If none of the above are found, a value of 2 - No is assigned.

A1C

All lab tests in the V LAB file in the year prior to the Audit date are found using the DM AUDIT HGB A1C TAX taxonomy and the BGP HGBA1C LOINC CODES taxonomies. Only tests that have a result are used, if the result of the V LAB is blank, contains "CANC" or contains "COMMENT" the V Lab is skipped.

Individual Audit: The date and result of test are displayed.



2020 Diabetes Audit Logic Descriptions

Audit Report:

If the result contains a ">" it goes into the ≥ 11.0 category.

If the result contains a "<" it goes into the < 7.0 category.

At this point everything is stripped from the result value except for numbers and ".". If after stripping, what is left is something other than a number then it is put in the "Not tested or no valid result" category. If what is left is a numerical value, it is put in the appropriate category(ies) below:

A1C < 7.0

A1C 7.0-7.9

A1C 8.0-8.9

A1C 9.0-9.9

A1C 10.0-10.9

A1C ≥ 11.0

Not tested or no valid result

A1C < 8.0

A1C > 9.0

Audit Export (Data) File: When exported, all characters that are not a number or a "." are stripped from the result value, so if the value is < 7.0 what is exported is 7.0.

TOTAL CHOLESTEROL

The last lab test with a result in the year prior to the Audit date that is a member of the DM AUDIT CHOLESTEROL TAX taxonomy or the BGP TOTAL CHOLESTEROL LOINC taxonomy is found in V LAB.

Audit Report: This result is not used.

Audit Export (Data) File: All characters other than numbers and "." are stripped from the result value and that value is then rounded to the closest whole number and truncated to a total of 3 characters with 0 decimal digits.

HDL CHOLESTEROL

The last lab test with a result in the year prior to the Audit date that is a member of the DM AUDIT HDL TAX taxonomy or the BGP HDL LOINC CODES taxonomy is found in V LAB.

Audit Report:

The result of the test is examined and is put into the following categories by gender. If the result is blank OR the first digit of the result is not a number, then it is put in the "Not tested or no valid result" category. For example, if the value is "cancelled", it will fall into "Not tested or no valid result".

In females

HDL < 50 mg/dl

HDL ≥ 50 mg/dl

Not tested or no valid result

In males

HDL < 40 mg/dl

HDL ≥ 40 mg/dl

Not tested or no valid result

Audit Export (Data) File:

All characters that are not numbers or "." are stripped from the result value and that value is then rounded to the closest whole number and truncated to a total of 3 characters with 0 decimal digits.

LDL CHOLESTEROL

The last lab test with a result in the year prior to the Audit date that is a member of the DM AUDIT LDL CHOLESTEROL TAX taxonomy or the BGP LDL LOINC CODES taxonomy is found in V LAB. Tests with a result containing "CANC" are ignored.

Audit Report:

The result of the test is examined and is put into the following categories. If the first digit of the result is not a number, then it is put in the "Not tested or no valid result" category. For example, if the value is "UNK", it will fall into "Not tested or no valid result".

LDL < 100 mg/dl

LDL 100-189 mg/dl

LDL ≥ 190

Not tested or no valid result

Audit Export (Data) File: All characters that are not numbers or "." are stripped from the result value and that value is then rounded to the closest whole number and truncated to a total of 3 characters with 0 decimal digits.



2020 Diabetes Audit Logic Descriptions

TRIGLYCERIDES

The last lab test with a result in the year prior to the Audit date that is a member of the DM AUDIT TRIGLYCERIDE TAX taxonomy or the BGP TRIGLYCERIDE LOINC CODES taxonomy is found in V LAB. Only tests with a result are used; tests with a result containing "CANC" or "COMMENT" are also skipped.

Audit Report:

The result of the test is examined and is put into the following categories. If the result is blank OR the first digit of the result is not a number then it is put in the "Not tested or no valid result" category. For example, if the value is "cancelled", it will fall into "Not tested or no valid result".

TG <150 mg/dl
TG 150-499 mg/dl
TG 500-999 mg/dl
TG >=1000 mg/dl
Not tested or no valid result

Audit Export (Data) File: All characters other than numbers and "." are stripped from the result value and that value is then rounded to the closest whole number and truncated to a total of 3 characters with 0 decimal digits

SERUM CREATININE

The last lab test with a result in the year prior to the Audit date that is a member of the DM AUDIT CREATININE TAX taxonomy or the BGP CREATININE LOINC CODES taxonomy is found in V LAB. All tests with a result containing "CANC" are skipped. Specimen types are not examined so if the same creatinine test is used for serum creatinine as for urine creatinine, the Audit is unable to distinguish between these values.

Result reporting:

For the individual Audit, the actual value that is in V LAB is displayed.

For the Audit Report: This item is not reported.

For the Audit Export (Data) File: All characters other than numbers and "." s are stripped from the result value and that value is truncated to a total of 4 characters with two decimal digits.

eGFR (ESTIMATED GFR)

For patients that are 18 or older, the last lab test in the year prior to the Audit date that is a member of the BGP GPRA ESTIMATED GFR TAX or the BGP ESTIMATED GFR LOINC taxonomy is found.

For the individual Audit, the actual value that is in V LAB is displayed. If there is no estimated GFR found in V LAB but there is a creatinine value found, the Estimated GFR is calculated using the Modified Diet in Renal Disease (MDRD) formula for eGFR

For the Audit Report:

If the first character of the value is ">" it goes into >=60 ml/min. Otherwise, all characters other than numbers and "." are stripped from the result value. The resulting value is placed in the following categories:

eGFR >=60
eGFR 30-59
eGFR 15-29
eGFR <15
Not tested or no valid result

Audit Export (Data) File: All characters other than numbers or "." are stripped from the result value and that value is truncated to a total of 4 characters with 1 decimal digit.

QUANTITATIVE URINE ALBUMIN CREATININE RATIO (UACR)

The system looks for a test contained in the DM AUDIT QUANT UACR lab taxonomy or DM AUDIT A/C RATIO LOINC taxonomy, if found and the test has a valid numeric result then the result of the test is assigned to UACR value.

If the test found does not have a valid numeric result, then the system will look for a urine microalbumin test on the same visit date. If found, the result of that test is evaluated. If the result contains a < symbol or the words "less than," a value of 5 is assigned to UACR value. If the result contains a > symbol or contains the words "greater than" a value of 999 is assigned to UACR value.

Result reporting:

For the individual Audit, the resulting value is displayed.

For the Audit Report: The resulting value is placed in the following categories:

Urine albumin excretion - normal: <30 mg/g
Urine albumin excretion increased: 30-300 mg/g
Urine albumin excretion increased: >300 mg/g
Not tested or no valid result

For the Audit Export (Data) File: The UACR value is found as described above, all non-numeric characters are stripped from the value.



2020 Diabetes Audit Logic Descriptions

COMBINED OUTCOMES MEASURE

Assessed only for patients 40 years of age and older. The combined outcome measure displays a 1 - Yes on the Audit if the patient had all of the following during the Audit period: A1c < 8.0, statin prescribed, and mean BP <140/<90. Otherwise a value of 2 - No is assigned.

Note: This item is not included in the Audit Export (Data) File.

e-GFR and UACR

Assessed only for patients 18 years of age and older. For those who had both an e-GFR and a UACR test during the Audit period, a value of 1 - Yes is assigned. Otherwise a value of 2 - No is assigned.

Note: This item is not included in the Audit Export (Data) File.

COMORBIDITY

Comorbidity count is determined by how many of the following problems or conditions each of the patients has:

- Severely obese (BMI 40 or higher)
- Diagnosed hypertension
- Current tobacco use
- Diagnosed CVD
- Retinopathy
- Lower extremity amputation
- Active depression
- CKD: eGFR<60 or UACR=>30 mg/g



This manual was created by the Western Tribal Diabetes Project
of the Northwest Portland Area Indian Health Board's (NPAIHB) Tribal Epidemiology Center.

Kerri Lopez, Director

Don Head, Specialist

Erik Kakuska, Specialist

2121 SW Broadway, Suite 300

Portland, OR 97201

www.npaihb.org

wtdp@npaihb.org

800-862-5497

